




# 320 VANTAGE

## SPECIFICATIONS

L.O.A. (on centerline, from bow to engine mounting location)	32' 1" (9.78 m)
L.O.A. (with platforms)	33' 6" (10.21 m)
Beam	10' 4" (3.15 m)
Draft (hull only)	22" (0.56 m)
Weight (dry, no engine)	9,800 lbs. (4445 kg)
Weight (with engine, fuel and water)	13,142 lbs (5,961 kg)
Maximum Weight Capacity	4,145 lbs (1880 kg)
Swamped Capacity	4,825 lbs (2,189 kg)
Persons Capacity	14
Maximum Horsepower	800 hp (597 kW)
Minimum Horsepower	500 hp (372 kW)
Maximum Engine Weight	1,400 lbs (635 kg)
Transom Height	25" (0.63 m)
Deadrise at Transom	21°
Fuel Capacity	285 gallons (1,078 L)
Water Capacity	30 gallons (113.5 L)
Waste Capacity	6.5 gallons (24.6 L)
Livewell Volume	18 gallons (68.1 L)
Bridge Clearance (with hardtop)	8' 9" (2.67m)
Bridge Clearance (with hardtop and radar)	9' 7" (2.92m)
Package Boat Specs (on trailer/engine up)	45' 0"L x 10' 4"W x 12' 0"H
European Certification	B



## STANDARD EQUIPMENT

- All hardware 316-L stainless steel
- All rails welded 316-L stainless steel

### DECK / COCKPIT

- 8" stainless steel pop-up cleats (2), midship
- 10" stainless steel pop-up cleats – (2) bow, (2) stern with stainless steel hawse pipes, (2) spring line
- 28" interior freeboard
- Anchor storage
- Anchor windlass with 200' of rope, chain and stainless-steel anchor
- Bow and stern eyes
- Cockpit coaming bolsters
- Cockpit courtesy lights (dual color blue/white)
- Drink holders (stainless steel)
- Extended integral swim platform with stainless steel ladder and grab rail
- Grab rails (stainless steel)
- Hawse pipes with drink holders (2), stern (stainless steel)
- Heavy-duty rub rail
- Molded fiberglass starboard dive/boarding door with removable stainless steel dive ladder
- Motorwell drains (2)
- Self-bailing cockpit sole
- Stainless steel thru hull anchor roller davit
- Transom door with stainless steel latch

### FIBERGLASS HARDTOP

- Grab rails, located on centerline (stainless steel)
- Mold in non-skid
- Navigation light
- Rod holders (4) (white or black depending on frame color selection)
- Tow bit (deleted with Fishing Package) (white or black depending on frame color selection)
- Welded aluminum integrated frame with tempered glass windshield (white or black depending on frame color selection) with stainless steel top cap

## COCKPIT UTILITY CENTER

- Bank of drawers
- Battery switch panel
- Built-in storage
- Cutting board
- Dedicated trashcan storage
- Drink holders (stainless steel)
- Grab rail (stainless steel)
- Insulated livewell/cooler (18 gallons)
- Outboard fiddle rail
- Sink with pull out sprayer
- Solid surface countertop

## BOW AREA

- 12V receptacle
- Bow bolster
- Bow cushions with backrests
- Bow walkthrough block off panel
- Drink holders (4) – stainless steel
- Fiberglass lids with latches
- Folding armrests, port and starboard
- Forward side rails (welded stainless steel)
- Forward step to bow
- Molded-in insulated cooler on centerline
- Recessed storage/cup holder compartment

## ELECTRICAL

- Stereo system (JL audio integration into Simrad Navigation Package), JL audio MM105-HR stereo with dash mounted remote volume/mute knob, AM/FM/HD radio, USB audio, and iPhone/Android compatible via integrated Bluetooth 5.0, JL waterproof speakers (6), 10" subwoofer, and 800 watt amplifier
- 12" Simrad NSX Electronics/Navigation Package, Simrad NSX 12" MFD (GPS, chart plotter, fishfinder), Active Imaging 3 in 1 transom mount transducer (CHIRP, SideScan, DownScan), C-Map® Discover™ X Chart Card: North America/Canada

## PORT CONSOLE

- Convertible berth
- Dash visor
- Lighting – Blue accent
- Lighting – Interior light
- Lockable console door
- Molded fiberglass console liner
- Molded fiberglass entry door
- Opening air vent in port and starboard compartments for natural airflow
- Skylight; tinted
- Storage locker
- Storage underneath seating
- USB/Aux inputs
- Wood flooring
- Wood grain storage cabinets

## STARBOARD CONSOLE

- Access panel to electronics
- Cast stainless steel steering wheel with urethane grip
- Compass
- Courtesy light

- Dash visor
- Drink holders (2) (stainless steel)
- Electronics mounting surface
- Fold-down teak bench seat above porcelain head
- Flip-up entry step
- Helm footrests
- Interior light
- Lockable entry door
- Molded fiberglass console liner
- Molded fiberglass entry door
- Opening air vents in port and starboard compartments for natural air flow
- Porcelain VacuFlush® toilet, holding tank, overboard discharge and dockside pump-out
- Pull-out sink/shower sprayer
- Skylight, tinted
- Solid surface countertop
- Trash receptacle
- Windshield wiper (port and starboard)
- Wood grain storage cabinets
- Wood flooring

## SEATING

- Bow seating area with lounge backrests and armrests, port and starboard
- Deluxe custom helm seat with electric high/low pedestal
- Deluxe swivel double port helm seating with 4 position indexing rotating stops
- Double convertible port lounge seat with storage (not available with Deluxe Prep Center with livewell)
- Fold-out stern seat with elevated backrest

## STORAGE

- Bow anchor locker with drain
- Cockpit storage center
- Head storage compartment
- Bow storage lockers, port, and starboard drains
- Storage forward of helm on console
- Storage under port console convertible berth
- Storage under port lounge
- Transom located dock line storage
- Under gunnel storage shelves

## MECHANICAL

- 250 V8 DTS Black Dual Mercury® Verado® engines with hydraulic power steering
- 285-gallon fuel tank
- Automatic bilge pumps
- Dual battery trays with switch
- Electric horn
- Electric trim tabs with indicator
- Engine fuel/water separators
- Freshwater system (30 gallons) with bow and stern sprayers
- LED navigation lights
- Integrated Mercury SmartCraft® Connect
- Shore power with single 30 AMP charger and galvanic isolator
- Stainless steel propellers
- Tilt steering
- Transducer mount area
- Variable running surface

## VESSELVIEW® MOBILE

- Display key engine data on your smartphone (Android® or Apple iPhone®)
- Bluetooth® connection via VesselView® mobile app (compatible while connected to stereo)
- Troubleshooting assistance with dealer notification

## NOTABLE OPTIONS/ ACCESSORIES

- 12V input, port console
- Air compressor system
- Air Conditioning – reverse cycle (6000 BTU) (includes additional 30 amp shore power service) (must select generator for use while away from shore power)
- Batteries – GR31 AGM (factory installed)
- Bow thruster (not available with Joystick Piloting)
- Bow tow eye
- Dynamic Running Surface (DRS) – self-leveling tab system
- Electric grill (must select generator or inverter system for use while away from shore power)
- Fender hangers – stainless steel (qty 6)
- Fishing Package – includes: aft hardtop rocket launchers (5), raw-water washdown, rod holders (transom mounted (stainless steel) (3)), stainless steel toe rails with under gunnel storage shelf
- Generator (low CO gas (5 kW) – Kohler) (fire suppression system; automatic with manual override)
- Grey water system
- Hardtop hatches
- Inverter system (for use of electric grill while away from shore power) (must select electric grill) (not compatible with generator)
- Lighting – Underwater
- Rails – bow rail (not compatible with beach boarding ladder)
- Rails – split bow rail
- Rails – white rub rail with stainless steel insert
- Rails – black rub-rail with stainless steel insert
- Raw water washdown
- Refrigerator at cockpit
- Spotlight
- Sunshade at bow
- Sunshade at cockpit (electronically retracts and deploys)
- Table at bow (with dedicated storage)
- Table at cockpit
- Trailer – aluminum with disc brakes, dual torsion axles, guide-on stanchions,
- LED lights, radial tires, spare tire
- Water heater (must select generator for use while away from shore power)

## SEATING

- Bow filler cushion

## TOPS/TOWERS

- Hardtop gelcoat (hardtop underside color matches hull color) (options include Abaco Blue, Classic Desert Tan, Glacier Green, Light Blue, Light Grey, Platinum)

## COLORED HARDTOP FRAME (MUST SELECT COLOR)

- White (Standard)
- Black

## ENGINES

- 250 V8 DTS Black Dual Mercury® with Joystick Piloting. Outboard docking system with joystick, electronic steering, skyhook/autopilot keypad and functionality. (Simrad® or other standalone optional autopilot not permitted with Joystick Piloting)
- 250 V8 DTS White Dual Mercury® with Joystick Piloting. Outboard docking system with joystick, electronic steering, skyhook/autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)
- 300 V8 DTS Black Dual Mercury with Joystick Piloting. Outboard docking system with joystick, electronic steering, skyhook/autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)
- 300 V8 DTS White Dual Mercury with Joystick Piloting. Outboard docking system with joystick, electronic steering, skyhook/autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)
- 300 V8 DTS Black Dual Mercury Verado® engines with hydraulic power steering
- 300 V8 DTS White Dual Mercury Verado engines with hydraulic power steering
- 400 V10 DTS Black Dual Mercury Verado with hydraulic power steering and fuel/water separator
- 400 V10 DTS White Dual Mercury Verado with hydraulic power steering and fuel/water separator
- 400 V10 DTS Black Dual Mercury Verado Joystick Piloting. Outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting) (must select Premium Package or VesselView® 4" Display)
- 400 V10 DTS White Dual Mercury Verado Joystick Piloting. Outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting) (must select Premium Package or VesselView 4" Display)

## ELECTRONICS

- 12" Simrad NSX additional display Electronics Package, Simrad NSX 12" MFD (GPS, chart plotter, fishfinder)
- 16" Simrad NSO evo3S Electronics/Navigation Package (replaces standard 12" Simrad NSX display), Simrad NSO evo3S 16" screen (GPS, chart plotter, fishfinder), integrated Mercury VesselView® link (replaces Mercury SmartCraft Connect)
- Thru hull transducer
- Integrated Mercury SmartCraft® Connect
- Auto pilot (not compatible with Joystick Piloting), Simrad NAC-2 autopilot computer
- 1st Mate® Safety & Security Sys – Dual Engine (Includes Captain FOB and 3 passenger FOB's)
- 1st Mate Safety & Security FOB Kit – includes additional Man Overboard (MOB) FOB's for additional passengers (Qty 4)
- Radar dome, Simrad HALO24 4 kW 24" High Definition Digital Dome
- Radar – OpenArray®, Simrad HALO 2004 50W Pulse Compression Radar with 48" OpenArray Antenna
- Radar – OpenArray BIRD+, Simrad HALO 3004 130W Pulse Compression Radar with 48" OpenArray Antenna
- Satellite weather and radio (Requires monthly subscription) (must select 16" NSO Evo3S Electronics Package), Satellite radio Sirius® satellite receiver with antenna, Simrad WM-4 Sirius Marine Weather Receiver
- VHF radio – Simrad RS20S VHF radio

## CANVAS

- Cockpit cover (includes bow and cockpit) (black or blue)
- Weather curtain set, side curtains, aft drop curtains and visor (black, blue, or white)

## GELCOAT HULL SIDE COLORS (WITH WHITE HULL BOTTOM)

- Classic Desert Tan
- Glacier Green
- Light Blue
- Platinum

## COLOR PAINTED HULLS

- Abaco Blue
- Fighting Lady Yellow
- Horizon Blue
- Ice Blue
- Jadestone
- Oyster Grey
- Platinum
- Sand Metallic
- Steel Blue
- Tectonic Silver
- Wasabi

## COLORED GEL COAT UNDERSIDE OF HARDTOP

- Abaco Blue
- Classic Desert Tan
- Glacier Green
- Horizon Blue
- Light Blue
- Platinum
- Steel Blue
- Platinum

## GRAPHICS (BW LOGO, MODEL DESIGNATOR, STRIPE)

- Black graphics
- Blue graphics
- Chrome graphics (with silver model designator and stripe)
- Red graphics
- Silver graphics
- White graphics

## COLORED HARDTOP FRAME (MUST SELECT COLOR)

- White (Standard)
- Black

## PAINTED ENGINE ACCENTS (CENTER STRIPE) (MUST SELECT COLORED HULL OPTION)

- Painted center stripe of engine cowl to match selected hull color