



## TEST #1

Test Date: 24-October-2018

MODEL	380 Outrage
HULL#	USBWCE0761l819
ENGINE	Triple Mercury® 300 V8 AMS (Gyro)
HORSEPOWER	900
GEAR RATIOS	1.85:1
PROP	16 x 18,19,18 Enertia Eco
FUEL CAPACITY	445 gallons
Notable options: Mer	cury loyetick

Notable options: Mercury Joystick Piloting, Rectractable sun shade, Seakeeper gryo, Summer kitchen, Premium audio, Freezer plates, Trolling seats, Outriggers, Active trim, Diesel generator

### SPEED


#### **FUEL CONSUMPTION**

	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	3.1	2.6	2.2	1.42	1.23	568
	1000	4.7	4.0	3.9	1.19	1.04	478
	1500	7.7	6.6	6.3	1.21	1.05	486
	2000	9.6	8.3	10.5	0.91	0.79	366
	2500	10.6	9.2	15.0	0.71	0.61	283
	2750	11.2	9.7	18.3	0.61	0.53	244
	3000	12.2	10.6	21.4	0.57	0.49	228
	3250	13.8	11.9	26.3	0.52	0.45	210
	3500	18.9	16.4	26.4	0.72	0.62	287
	4000	31.9	27.7	35.0	0.91	0.79	364
	4500	39.0	33.9	42.5	0.92	0.80	368
	5000	43.5	37.8	52.9	0.82	0.71	329
	5500	48.4	42.0	62.0	0.78	0.68	313
WOT	6000	51.7	44.9	70.8	0.73	0.63	293

ACCELERATION: TIME TO PLANE 8.2 SECS | IDLE - 30 MPH - 9.9 SECS

## **WEIGHT SUMMARY**

DRY WEIGHT	N/A
FUEL	221 gallons
WATER	O gallons
TEST GEAR	25 lbs
PERSONNEL	365 lbs
TEST WEIGHT	N/A
WATER CONDITIONS	80° F
WEATHER CONDITIONS	81° F









# **TEST #2**

Test Date: 12-July-2023

MODEL	380 Outrage
HULL#	USBWCP0429C323
ENGINE	Triple Mercury® 400 Verado®
HORSEPOWER	1200
GEAR RATIOS	2.08:1
PROP	22P Revolution X
FUEL CAPACITY	455 gallons

Notable options: Joystick Piloting, Bow Table, Sunshade, Seakeeper Gyro, Premium Audio, Diesel Generator, 16" Electronics, CE Certification 4KW Radar

### **WEIGHT SUMMARY**


DRY WEIGHT	19,429 lbs
FUEL	205 gallons
WATER	46 gallons
TEST GEAR	25 lbs
PERSONNEL	400 lbs
TEST WEIGHT	21,495 lbs
WATER CONDITIONS	85° F
WEATHER CONDITIONS	87° F

### SPEED

#### **FUEL CONSUMPTION**

	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	2.9	2.5	3.1	0.95	0.83	389
	1000	5.8	5.0	5.0	1.16	1.01	476
	1500	8.7	7.5	8.1	1.07	0.93	437
	2000	10.0	8.7	13.6	0.74	0.64	301
	2500	11.0	9.6	18.2	0.60	0.52	248
	2750	12.2	10.6	22.0	0.55	0.48	226
	3000	13.7	11.9	26.2	0.52	0.45	214
	3250	15.7	13.6	30.8	0.51	0.44	209
	3500	19.3	16.8	30.7	0.63	0.55	258
	4000	32.1	27.9	38.4	0.84	0.73	342
	4500	38.6	33.5	45.1	0.86	0.74	351
	5000	44.3	38.4	59.6	0.74	0.65	304
	5500	49.8	43.2	76.9	0.65	0.56	265
	6000	54.4	47.2	90.1	0.60	0.52	247
WOT	6400	58.9	51.1	99.0	0.59	0.52	244

## ACCELERATION: TIME TO PLANE: 8.2 | IDLE - 30 MPH - 8.9 SECS









## TEST #3

Test Date: 18-June-2019

MODEL	380 Outrage
HULL#	USBWCE2579D919
ENGINE	Triple Mercury® 400 Verado® (Gyro)
HORSEPOWER	1200
GEAR RATIOS	1.75:1
PROP	16'' x 17'' Enertia ECO
FUEL CAPACITY	445 gallons

Notable options: Mercury Joystick Piloting, Bow table, Sunshade, Seakeeper gyro, Summer kitchen, Premium audio, Freezer plates, Diesel generator, 16" electronics, 4 kW radar

### **WEIGHT SUMMARY**


DRY WEIGHT	17,903 lbs
FUEL	215 gallons
WATER	30 gallons
TEST GEAR	25 lbs
PERSONNEL	360 lbs
TEST WEIGHT	19,860 lbs
WATER CONDITIONS	82° F
WEATHER CONDITIONS	80° F

#### SPEED

#### **FUEL CONSUMPTION**

	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	3.5	3.0	2.0	1.73	1.50	691
	1000	5.6	4.9	3.8	1.47	1.28	590
	1500	8.2	7.1	5.7	1.43	1.24	573
	2000	10.0	8.7	8.7	1.16	1.00	463
	2500	10.7	9.2	14.2	0.75	0.65	301
	2750	11.1	9.6	17.4	0.64	0.55	254
	3000	10.9	9.4	21.1	0.51	0.45	206
	3250	11.3	9.8	25.6	0.44	0.38	176
	3500	12.7	11.0	30.2	0.42	0.36	168
	4000	20.5	17.8	35.0	0.58	0.51	234
	4500	33.8	29.4	40.9	0.83	0.72	331
	5000	39.2	34.0	47.6	0.82	0.71	330
	5500	44.0	38.2	56.8	0.77	0.67	310
	6000	46.9	40.7	71.3	0.66	0.57	264
WOT	6800	53.4	46.4	111.5	0.48	0.42	192

ACCELERATION: TIME TO PLANE 10.5 SECS | IDLE - 30 MPH - 11.6 SECS









# **TEST #4**

Test Date: 25-June-2020

MODEL	380 Outrage
HULL#	USBWCE1887C020
ENGINE	Quad Mercury® 300 V8 AMS (No Gyro)
HORSEPOWER	1200
GEAR RATIOS	1.85:1
PROP	19P Eco Enertia
FUEL CAPACITY	445 gallons

Notable options: Joystick Piloting, Bow Table, Sunshade, Summer Kitchen, Premium Audio, Canvas Package, 16" Electronics, 4 kW Radar

# WEIGHT SUMMARY


DRY WEIGHT	N/A
FUEL	227 gallons
WATER	46 gallons
TEST GEAR	25 lbs
PERSONNEL	360 lbs
TEST WEIGHT	N/A
WATER CONDITIONS	89° F
WEATHER CONDITIONS	87° F

### SPEED

#### FUEL CONSUMPTION

	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	4.0	3.5	3.0	1.36	1.18	543
	1000	6.6	5.7	5.4	1.21	1.05	486
	1500	9.3	8.1	8.9	1.04	0.91	419
	2000	10.7	9.2	14.8	0.72	0.63	289
	2500	12.6	10.9	20.1	0.63	0.55	252
	2750	15.0	13.0	24.8	0.60	0.52	241
	3000	19.5	16.9	27.9	0.70	0.61	280
	3250	28.1	24.4	30.7	0.92	0.80	367
	3500	32.3	28.0	34.0	0.95	0.82	380
	4000	38.0	33.0	42.0	0.90	0.79	362
	4500	43.3	37.6	51.5	0.84	0.73	337
	5000	48.3	41.9	68.9	0.70	0.61	281
	5500	52.8	45.8	84.6	0.62	0.54	250
WOT	6000	57.5	49.9	95.9	0.60	0.52	240

ACCELERATION: TIME TO PLANE 6.4 SECS | IDLE - 30 MPH - 7.4 SECS









## TEST #5

Test Date: 19-May-2020

MODEL	380 Outrage		
HULL#	USBWCE1356A020		
ENGINE	Quad Mercury® 300 V8 AMS (Gyro)		
HORSEPOWER	1200		
GEAR RATIOS	1.85:1		
PROP	19P Enertia Eco		
FUEL CAPACITY	445 gallons		

Notable options: Mercury Joystick Piloting, Bow table, Sunshade, Seakeeper gyro, Premium audio, Diesel generator, 16" electronics, 4 kW radar

### **WEIGHT SUMMARY**


DRY WEIGHT	19,293 lbs
FUEL	227 gallons
WATER	46 gallons
TEST GEAR	25 lbs
PERSONNEL	360 lbs
TEST WEIGHT	21458 lbs
WATER CONDITIONS	80° F
WEATHER CONDITIONS	80° F

### SPEED

#### **FUEL CONSUMPTION**

	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	2.8	2.4	3.0	0.92	0.80	367
	1000	5.9	5.1	5.4	1.10	0.96	442
	1500	8.4	7.3	8.9	0.95	0.82	380
	2000	9.8	8.5	14.5	0.67	0.59	270
	2500	11.2	9.7	21.3	0.52	0.46	210
	2750	12.8	11.1	24.5	0.52	0.45	209
	3000	15.9	13.8	27.7	0.57	0.50	230
	3250	25.0	21.7	29.7	0.84	0.73	337
	3500	30.3	26.3	34.2	0.89	0.77	355
	4000	37.1	32.2	43.0	0.86	0.75	346
	4500	42.5	36.9	52.7	0.81	0.70	323
	5000	47.5	41.2	67.7	0.70	0.61	281
	5500	52.6	45.6	85.5	0.61	0.53	246
	6000	56.4	48.9	95.1	0.59	0.51	237
WOT	6450	55.7	48.4	123.5	0.45	0.39	181

ACCELERATION: TIME TO PLANE 7.0 SECS | IDLE - 30 MPH - 8.1 SECS









## TEST #6

Test Date: 10-July-2019

MODEL	380 Outrage
HULL#	USBWCE0007F920
ENGINE	Quad Mercury® 400 Verado® (Gyro)
HORSEPOWER	1600
GEAR RATIOS	1.75:1
PROP	14 5/8" x 18" Rev 4
FUEL CAPACITY	445 gallons

Notable options: Mercury Joystick Piloting, Bow table, Sunshade, Seakeeper gyro, Upper station, Premium audio, Freezer plates, Diesel generator, 16" electronics, 4 kW radar

## **WEIGHT SUMMARY**


DRY WEIGHT	20,756 lbs
FUEL	202 gallons
WATER	40 gallons
TEST GEAR	25 lbs
PERSONNEL	350 lbs
TEST WEIGHT	22,707 lbs
WATER CONDITIONS	85° F
WEATHER CONDITIONS	83° F

### SPEED

#### **FUEL CONSUMPTION**

	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	3.1	2.7	2.8	1.11	0.96	443
	1000	5.6	4.9	5.0	1.12	0.97	449
	1500	8.4	7.3	7.8	1.08	0.94	432
	2000	10.0	8.6	12.5	0.80	0.69	320
	2500	10.7	9.3	21.1	0.51	0.44	203
	2750	11.8	10.2	26.0	0.45	0.39	182
	3000	13.4	11.6	31.0	0.43	0.37	172
	3250	16.7	14.5	34.0	0.49	0.43	197
	3500	21.0	18.2	35.5	0.59	0.51	237
	4000	32.5	28.2	41.6	0.78	0.68	313
	4500	38.6	33.5	51.1	0.76	0.66	303
	5000	44.2	38.3	62.7	0.70	0.61	282
	5500	48.3	41.9	78.2	0.62	0.54	248
	6000	52.8	45.8	106.9	0.49	0.43	198
WOT	6850	58.6	50.8	144.0	0.41	0.35	163

ACCELERATION: TIME TO PLANE 10.5 SECS | IDLE - 30 MPH - 11.6 SECS









# TEST #7

Test Date: 18-October-2021

MODEL	380 Outrage
HULL#	USBWCE0468H122
ENGINE	Dual Mercury® 600 V12 Verado® (Gyro)
HORSEPOWER	1200
GEAR RATIOS	2.5:1
PROP	V12 P27.5
FUEL CAPACITY	445 gallons

Notable options: Summer Kitchen, Premium Audio, JPO, SureShade, Seakeeper Stabilizer, AIS Transceiver, Diesel Generator, Radar

### **WEIGHT SUMMARY**

DRY WEIGHT	19,338 lbs
FUEL	200 gallons
WATER	18 gallons
TEST GEAR	25 lbs
PERSONNEL	415 lbs
TEST WEIGHT	21,158 lbs
WATER CONDITIONS	79° F
WEATHER CONDITIONS	75° F

### SPEED

#### **FUEL CONSUMPTION**

	RPM	mph	knots	gph	mpg	nmpg	range (mi)
Idle	600	4.0	3.4	3.0	1.34	1.16	536
	1000	5.4	4.7	4.1	1.32	1.14	527
	1500	7.7	6.7	6.1	1.27	1.11	510
	2000	9.6	8.3	9.5	1.02	0.88	407
	2500	10.8	9.3	14.2	0.76	0.66	304
	2750	11.0	9.5	17.9	0.61	0.53	246
	3000	11.8	10.2	21.2	0.56	0.48	223
	3250	12.9	11.2	25.9	0.50	0.43	200
	3500	27.9	24.2	35.2	0.79	0.69	317
	4000	34.6	30.0	40.5	0.85	0.74	342
	4500	40.8	35.4	49.3	0.83	0.72	331
	5000	45.9	39.8	55.5	0.83	0.72	331
	5500	51.8	45.0	76.2	0.68	0.59	272
	6000	56.7	49.2	94.5	0.60	0.52	240
WOT	6400	60.5	52.5	100.8	0.60	0.52	240

## ACCELERATION: TIME TO PLANE 7.7 SECS | IDLE - 30 MPH - 8.3 SECS

