




280 DAUNTLESS

SPECIFICATIONS

L.O.A. (on centerline, from bow to engine mounting location)	27' 9" (8.46m)
L.O.A. (includes swim platform and rubrail)	28' 8" (8.74m)
Beam	9' 0" (2.74m)
Draft	18" (0.46m)
Weight (dry, no engine)	5,495 lbs (2492 kg)
Weight (with engine, fuel and water)	7,410 lbs (3361 kg)
Maximum Weight Capacity	3,736 lbs (1694 kg)
Swamped Capacity	5,000 lbs (2268kg)
Persons Capacity	12
Maximum Horsepower	600 hp (447 kW)
Minimum Horsepower	350 hp (261 kW)
Maximum Engine Weight	1,400 lbs (635 kg)
Transom Height	30" (0.76 m) single 25" (0.64 m) dual
Deadrise at Transom	18°
Fuel Capacity	160 gallons (606 L)
Water capacity	18 gallons (68 L)
Livewell Volume	30 gallons (113.56 L)
Bridge Clearance (no top)	8' 4" (2.54 m)
Bridge Clearance (with hardtop)	6' 7" (2.00 m)
Package Boat Specs (on trailer/engine up)	37' 0" (11.28 m)



STANDARD EQUIPMENT

- All rails welded 316-L stainless steel
- All hardware 316-L stainless steel

DECK / COCKPIT

- 22.5" cockpit depth
- 8" cleats; bow (2), stern (2), spring line (2)
- Low profile bow rail - welded stainless steel
- Casting platform aft
- Starboard transom walkthrough
- Drink holders – stainless steel, forward (4), lounge (2), console (3), aft seats (2)
- Garboard drain plug
- Lifting eyes - bow and stern
- Rod holders – stainless steel, stern deck (3), gunnel mounted (2), Bow (2)
- Livewell (19 gallons) – Insulated with blue interior, light and flush mounted lid in stern deck
- Heavy-duty rub rail
- Self-bailing cockpit sole
- Low profile aft side rails - welded stainless steel
- Swim platform with telescoping ladder
- Lighting - LED courtesy lighting in cockpit, (multi color RGBW) (2 in bow, 2 at helm, 2 at stern deck)

CONSOLE

- Cast stainless steel steering wheel with knob
- Compass
- Wireless phone charger
- Console face tan gelcoat
- Drink holders (3) SS
- Electrical switch panel
- Electronics mounting surface (for 16" display or dual 12" displays)
- Acrylic access door in aluminum frame with stainless steel latch
- Head – porta potti (with pump-out)
- Interior LED light
- Hooks - stainless steel (2)

SEATING

- Forward port and starboard seats with folding backrests
- Forward console lounge with armrests
- Stern bench seat with folding backrest
- Fiberglass leaning post with convertible deluxe helm seating: Port and starboard armrests, flip up bolsters, integrated storage drawers, grab rail, electric actuation converts helm seating into aft facing couch with leaning post for captain

STORAGE

- Bow, anchor locker with overboard drain and stainless-steel gas shock
- Insulated bow storage lockers, P&S, with overboard drains and stainless-steel gas shocks
- Forward in floor fish box with overboard drain and pump out
- Lockable console front storage - holds multiple rods, buckets, gear, and optional dive tank racks (includes: garage storage organizer for easy access to smaller gear)
- Lockable console storage
- Storage drawers in leaning post
- Storage under aft seat

FIBERGLASS HARDTOP

- Floodlights (1 aft, 1 forward)
- Dome light (red and white)
- LED courtesy lighting, (multi color RGBW) (2)
- Lifejacket storage
- Watersports tow point
- Rod holders (4)

MECHANICAL

- 350 L6 (DTS) black Mercury® Verado® with hydraulic power steering (91 octane fuel recommended)
- Active engine trim
- Tilt steering
- Propeller - stainless steel
- Automatic bilge pump
- Battery trays (3) with switch and wiring
- Electric horn
- Electric trim tabs with indicators
- Freshwater shower (18-gallon tank) with stern sprayer
- Fuel tank 160-gallon
- Navigation lights
- Integrated Mercury SmartCraft® Connect

VESSELVIEW MOBILE

- Display key engine data on your smartphone (Android® or Apple® iPhone®)
- Bluetooth® connection via VesselView® mobile app (compatible while connected to stereo)
- Troubleshooting assistance with dealer notification

• 12" SIMRAD NSX ELECTRONICS/NAVIGATION PACKAGE

- Simrad NSX 12" MFD (GPS, chart plotter, fishfinder)
- Active Imaging 3 in 1 Transom Mount transducer (CHIRP, SideScan, DownScan)
- C-Map® Discover™ X Chart Card: North America/Canada

NOTABLE OPTIONS/ACCESSORIES

ENGINES

- ☐ 350 L6 (DTS) white Mercury Verado with hydraulic power steering (91 Octane fuel recommended)
- ☐ 400 L6 (DTS) black Mercury Verado with hydraulic power steering (91 Octane fuel recommended)
- ☐ 400 L6 (DTS) white Mercury Verado with hydraulic power steering (91 Octane fuel recommended)
- ☐ 200 V6 (DTS) Dual black Mercury FourStroke® with hydraulic power steering and fuel/water separators
- ☐ 200 V6 (DTS) Dual white Mercury FourStroke with hydraulic power steering and fuel/water separators
- ☐ 225 V6 (DTS) Dual black Mercury FourStroke with hydraulic power steering and fuel/water separators
- ☐ 225 V6 (DTS) Dual white Mercury FourStroke with hydraulic power steering and fuel/water separators
- ☐ 250 V8 (DTS) Dual black Mercury Verado with hydraulic power steering and fuel/water separators
- ☐ 250 V8 (DTS) Dual white Mercury Verado with hydraulic power steering and fuel/water separators
- ☐ 300 V8 (DTS) Dual black Mercury Verado with hydraulic power steering and fuel/water separators
- ☐ 300 V8 (DTS) Dual white Mercury Verado with hydraulic power steering and fuel/water separators
- ☐ 250 CXL V8 CMS Dual Mercury Verado FourStroke with Joystick Piloting. Outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting) (includes fuel/water separators)
- ☐ 250 CXL V8 CMS Dual white Mercury Verado FourStroke with Joystick Piloting. Outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad functionality. (Simrad® or other standalone optional autopilot not permitted with Joystick Piloting) (includes fuel/water separators)
- ☐ 300 CXL V8 CMS Dual Mercury Verado FourStroke with Joystick Piloting. Outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting) (includes fuel/water separators)
- ☐ 300 CXL V8 CMS Dual white Mercury Verado FourStroke with Joystick Piloting. Outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting) (includes fuel/water separators)

COCKPIT

- ☐ Anchor windlass (with through hull anchoring system)
- ☐ Battery charging system
- ☐ Beach boarding ladder (concealed)
- ☐ Bow table with dedicated storage under console lounge
- ☐ Cockpit table with dedicated storage under aft bench seat
- ☐ Bow Tow eye
- ☐ Cockpit refrigerator (must select Deluxe Leaning Post with storage or Deluxe Leaning Post with livewell)
- ☐ Glovebox (not compatible with Deluxe Helm Electronics Package 16" display)
- ☐ Foldable dive tank holders (4) Interferes with use of garage storage organizer when in use (not compatible with trolling motor, trolling motor pre-rig, or gyro stabilizer)

- ☐ Forward casting platform (with dedicated storage) (must select bow table)
- ☐ Radial outriggers (hardtop mounted) (not compatible with electric cockpit sunshade, or hardtop delete)
- ☐ Raw-water washdown
- ☐ Satellite radio (Sirius satellite receiver with antenna) (must order stereo option)
- ☐ Seating – Bow cushion (filler) (requires forward casting platform)
- ☐ Split bow rail – Includes high aft rails, deletes low profile bow rail. (High aft rails not compatible with swim Patio. When selected together boat will retain low starboard aft rail and no port aft rail in patio location) (not compatible with trolling motor panel or trolling motor with charger)
- ☐ Electric cockpit sunshade (deletes hardtop frame rod holders) (not compatible with radial outriggers, or hardtop delete)
- ☐ Stainless steel anchor (must select anchor windlass)
- ☐ Sunshade at bow (not compatible with hardtop delete, trolling motor 36 V with charger, or trolling motor panel)
- ☐ Swim Patio
- ☐ Underwater LED lights (2)
- ☐ White rub-rail
- ☐ White rub-rail with stainless steel insert
- ☐ Black rub-rail with stainless steel insert
- ☐ Vacu-Flush® toilet, holding tank, overboard discharge, and dockside pump-out – 6.5 gallon capacity
- ☐ First Mate Safety & Security Sys – Single Engine (Includes Captain FOB and 3 passenger FOB's) (Not compatible with Dual Engine option) (Included with Theft Deterrent System Option)
- ☐ First Mate Safety & Security Sys – Dual Engine (Includes Captain FOB and 3 passenger FOB's) (Not compatible with Single Engine option) (Included with Theft Deterrent System Option)
- ☐ First Mate Safety & Security FOB Kit – Includes additional Man Overboard (MOB) FOB's for additional passengers (Qty 4)

TROLLING MOTOR 36V WITH CHARGER

(not compatible with dive tank holders, GYROSCOPIC STABILIZER, Bow shade, or split bow rail options)

- ☐ Battery trays for trolling motor batteries (3)
- ☐ Motorguide XI-5 trolling motor with GPS
- ☐ Trolling motor panel with wiring
- ☐ Battery charger
- ☐ HDPE Battery enclosure with storage shelf

TROLLING MOTOR PANEL

(not compatible with dive tank holders, GYROSCOPIC STABILIZER, Bow shade, or split bow rail options)

- ☐ Battery trays for trolling motor batteries (3)
- ☐ Trolling motor panel with wiring
- ☐ HDPE Battery enclosure with storage shelf

POWERPOLE

- ☐ Powerpole bracket
- ☐ Powerpole 8' or 10' (black or white)

JACKPLATE, SINGLE ENGINE

(not compatible with dual engine selections)

- ☐ Atlas 10" offset heavy duty jackplate
- ☐ Control at console

STEREO

(JL Audio integration into Simrad Navigation Package)

- ☐ JL Audio MM105-HR stereo with Dash mounted remote volume/mute knob
- ☐ AM/FM/HD Radio, USB audio, and Sirius XMTM ready
- ☐ Iphone/Android compatible via integrated Bluetooth® 5.0
- ☐ JL waterproof speakers (6) and 600 watt amplifier

PREMIUM AUDIO

- ☐ JL Audio 8" subwoofer (2)
- ☐ 400 watt amplifier

FIBERGLASS HARDTOP DELETE

- ☐ Grab rail - welded stainless steel

HARDTOP STORAGE BOX

(Not compatible with hardtop delete)

FULL GLASS WINDSHIELD WITH VENT

- ☐ Full side and front tempered glass windshield
- ☐ Electric actuated front vent
- ☐ Windshield wiper with wash system

DELUXE LEANING POST WITH LIVEWELL

- ☐ Bench seat with backrest and flip-up thigh rise
- ☐ Fold down armrests
- ☐ Cup holders (2)
- ☐ Rod holders (2)
- ☐ Grab rails - stainless steel
- ☐ Livewell 30 gallon Insulated with blue interior, light, and flush mounted clear acrylic lid
- ☐ Sink with freshwater faucet
- ☐ Starboard side storage drawers (3) (deleted with cockpit refrigerator option)

DELUXE LEANING POST WITH STORAGE

- ☐ Bench seat with backrest and flip-up thigh rise
- ☐ Fold down armrests
- ☐ Cup holders (2)
- ☐ Rod holders (2)
- ☐ Solid surface counter top
- ☐ Storage bin with hinged lid
- ☐ Grab rails - stainless steel
- ☐ Sink with freshwater faucet
- ☐ Starboard side storage drawers (3) (deleted with cockpit refrigerator option)
- ☐ Port side storage drawers (3)

DELUXE LEANING POST WITH GYRO

- ☐ Bench seat with backrest and flip-up thigh rise
- ☐ Fold down armrests
- ☐ Cup holders (2)
- ☐ Rod holders (2)
- ☐ Solid surface counter top

- ☐ Storage bin with hinged lid
- ☐ Grab rails - stainless steel
- ☐ Sink with freshwater faucet
- ☐ Port side storage drawers (3)
- ☐ Starboard side storage pocket

ALUMINUM TRAILER

- ☐ Disc brakes
- ☐ Dual torsion axle
- ☐ Guide on stanchions
- ☐ LED lights
- ☐ Radial tires
- ☐ Spare tire

NAUTIC-ON™ REMOTE CONNECTIVITY

(Must select battery charging system) (deletes Vessel View mobile)

- ☐ 24/7 access to your boat's information using the NAUTIC-ON app
- ☐ Monitor house and engine battery state and bilge pump activity
- ☐ Review live engine data and diagnostics
- ☐ Track location with smart breadcrumbing and geofence
- ☐ View weather conditions at the boat
- ☐ 3 month free subscription

12" SIMRAD NSX ADDITIONAL DISPLAY ELECTRONICS PACKAGE

- ☐ Simrad NSX 12" MFD (GPS, chart plotter, fishfinder)

16" SIMRAD NSO EVO3S ELECTRONICS/NAVIGATION PACKAGE

(Replaces standard 12" Simrad NSX display)

- ☐ Simrad NSO evo3S 16" screen (GPS, chart plotter, fishfinder)
- ☐ Integrated Mercury VesselView Link (replaces Mercury SmartCraft Connect)

THRU HULL TRANSDUCER

- ☐ 1,000 watt thru hull transducer (SS175 med) and SonarHub™ module

RADAR DOME

- ☐ Simrad HAL024 4kW 24" High Definition Digital Dome

VHF RADIO

- ☐ Simrad RS20S VHF Radio

SATELLITE WEATHER AND RADIO

(Must order stereo option) (Requires monthly subscription)

- ☐ Satellite radio Sirius satellite receiver with antenna
- ☐ Simrad® Sirius marine weather receiver

DELUXE ELECTRONICS SIMRAD PACKAGE 16" DISPLAY

(Combines electronics options with acrylic dash and switch panels for integrated look and functionality)

- ☐ Simrad NSO evo3S 16" MFD (GPS, chart plotter, fishfinder) (replaces standard 12" display)
- ☐ Custom black acrylic dash areas
- ☐ Integrated Mercury VesselView Link (replaces Mercury SmartCraft Connect)
- ☐ Stereo system with premium audio

GYROSCOPIC STABILIZER (SEAKEEPER)

(not compatible with dive tank holders, TROLLING MOTOR 36V WITH CHARGER, TROLLING MOTOR PANEL or single engine selections, must select dual engines) (Must select leaning post with gyro)

- ☐ 1,000 N-M-S gyro
- ☐ Factory installed GR31 AGM batteries
- ☐ Battery charging system, charges from shore power or engine power
- ☐ HDPE battery enclosure with storage shelf

CANVAS

- ☐ Combination helm seat / console cover (black or blue) (not compatible with Hardtop delete)
- ☐ Console cover (black or blue) (not compatible with hardtop delete)
- ☐ Console lounge seat with backrest cover (black or blue)
- ☐ Helm seat cover (black or blue)

COLORED GELCOAT UNDERSIDE OF HARDTOP

- ☐ Classic Desert Tan
- ☐ Glacier Green
- ☐ Light Blue
- ☐ Platinum

COLORED HULL SIDES

(INCLUDES HULL SIDES WITH WHITE HULL BOTTOM)

- ☐ Classic Desert Tan hull side gelcoat accent color
- ☐ Glacier Green hull side gelcoat accent color
- ☐ Light Blue hull side gelcoat accent color
- ☐ Platinum hull side gelcoat accent color

GRAPHICS (BW LOGO, MODEL DESIGNATOR)

- ☐ Black graphics
- ☐ Blue graphics
- ☐ Chrome graphics
- ☐ Red graphics
- ☐ Silver graphics
- ☐ White graphics

COLORED FRAME (MUST SELECT COLOR AND TOW ARCH, T-TOP, OR HARD TOP)

- ☐ Black
- ☐ White