


325 CONQUEST PILOTHOUSE

SPECIFICATIONS

Beam10' 8" (3.25 m)Draft (hull only)26" (.66 m)Weight (dry, no engine)10,500 lbs (4,762 kg)Weight (with engine, fuel and water)14,290 lbs (6,482 kg)Maximum Weight Capacity3,968 lbs (1,800 kg)Swamped Capacity2,300 lbs (1,043 kg)Persons Capacity12Maximum Horsepower800 hp (597 kW)Minimum Horsepower600 hp (447 kW)Maximum Engine Weight1,400 lbs (635 kg)Transom Height25" (.635 m)Deadrise at Transom20°Fuel Capacity300 gallons (1135 L)Water Capacity12 gallons (45 L)Livewell Volume26 gallons (98.42 L)Bridge Clearance (with hardtop)9' 3" (2.82 m)	L.O.A.	202 27 (0.02 m)
Draft (hull only)26" (.66 m)Weight (dry, no engine)10,500 lbs (4,762 kg)Weight (with engine, fuel and water)14,290 lbs (6,482 kg)Maximum Weight Capacity3,968 lbs (1,800 kg)Swamped Capacity2,300 lbs (1,043 kg)Persons Capacity12Maximum Horsepower800 hp (597 kW)Minimum Horsepower600 hp (447 kW)Maximum Engine Weight1,400 lbs (635 kg)Transom Height25" (.635 m)Deadrise at Transom20°Fuel Capacity46 gallons (1135 L)Water Capacity12 gallons (45 L)Livewell Volume26 gallons (98.42 L)Bridge Clearance (with hardtop)9' 3" (2.82 m)	L.U.A.	32' 3" (9.83 m)
Weight (dry, no engine)10,500 lbs (4,762 kg)Weight (with engine, fuel and water)14,290 lbs (6,482 kg)Maximum Weight Capacity3,968 lbs (1,800 kg)Swamped Capacity2,300 lbs (1,043 kg)Persons Capacity12Maximum Horsepower800 hp (597 kW)Minimum Horsepower600 hp (447 kW)Maximum Engine Weight1,400 lbs (635 kg)Transom Height25" (.635 m)Deadrise at Transom20°Fuel Capacity300 gallons (1135 L)Water Capacity12 gallons (45 L)Livewell Volume26 gallons (98.42 L)Bridge Clearance (with hardtop)9' 3" (2.82 m)	Beam	10' 8" (3.25 m)
Weight (with engine, fuel and water)14,290 lbs (6,482 kg)Maximum Weight Capacity3,968 lbs (1,800 kg)Swamped Capacity2,300 lbs (1,043 kg)Persons Capacity12Maximum Horsepower800 hp (597 kW)Minimum Horsepower600 hp (447 kW)Maximum Engine Weight1,400 lbs (635 kg)Transom Height25" (.635 m)Deadrise at Transom20°Fuel Capacity46 gallons (1135 L)Water Capacity12 gallons (45 L)Livewell Volume26 gallons (98.42 L)Bridge Clearance (with hardtop)9' 3" (2.82 m)	Draft (hull only)	26" (.66 m)
Maximum Weight Capacity3,968 lbs (1,800 kg)Swamped Capacity2,300 lbs (1,043 kg)Persons Capacity12Maximum Horsepower800 hp (597 kW)Minimum Horsepower600 hp (447 kW)Maximum Engine Weight1,400 lbs (635 kg)Transom Height25" (.635 m)Deadrise at Transom20°Fuel Capacity300 gallons (1135 L)Water Capacity46 gallons (174 L)Waste Capacity12 gallons (45 L)Livewell Volume26 gallons (98.42 L)Bridge Clearance (with hardtop)9' 3" (2.82 m)	Weight (dry, no engine)	10,500 lbs (4,762 kg)
Swamped Capacity2,300 lbs (1,043 kg)Persons Capacity12Maximum Horsepower800 hp (597 kW)Minimum Horsepower600 hp (447 kW)Maximum Engine Weight1,400 lbs (635 kg)Transom Height25" (.635 m)Deadrise at Transom20°Fuel Capacity300 gallons (1135 L)Water Capacity46 gallons (174 L)Waste Capacity12 gallons (45 L)Livewell Volume26 gallons (98.42 L)Bridge Clearance (with hardtop)9' 3" (2.82 m)	Weight (with engine, fuel and water)	14,290 lbs (6,482 kg)
Persons Capacity12Maximum Horsepower800 hp (597 kW)Minimum Horsepower600 hp (447 kW)Maximum Engine Weight1,400 lbs (635 kg)Transom Height25" (.635 m)Deadrise at Transom20°Fuel Capacity300 gallons (1135 L)Water Capacity46 gallons (174 L)Waste Capacity12 gallons (45 L)Livewell Volume26 gallons (98.42 L)Bridge Clearance (with hardtop)9' 3" (2.82 m)	Maximum Weight Capacity	3,968 lbs (1,800 kg)
Maximum Horsepower800 hp (597 kW)Minimum Horsepower600 hp (447 kW)Maximum Engine Weight1,400 lbs (635 kg)Transom Height25" (.635 m)Deadrise at Transom20°Fuel Capacity300 gallons (1135 L)Water Capacity46 gallons (174 L)Waste Capacity12 gallons (45 L)Livewell Volume26 gallons (98.42 L)Bridge Clearance (with hardtop)9' 3" (2.82 m)	Swamped Capacity	2,300 lbs (1,043 kg)
Minimum Horsepower600 hp (447 kW)Maximum Engine Weight1,400 lbs (635 kg)Transom Height25" (.635 m)Deadrise at Transom20°Fuel Capacity300 gallons (1135 L)Water Capacity46 gallons (174 L)Waste Capacity12 gallons (45 L)Livewell Volume26 gallons (98.42 L)Bridge Clearance (with hardtop)9' 3" (2.82 m)	Persons Capacity	12
Maximum Engine Weight1,400 lbs (635 kg)Transom Height25" (.635 m)Deadrise at Transom20°Fuel Capacity300 gallons (1135 L)Water Capacity46 gallons (174 L)Waste Capacity12 gallons (45 L)Livewell Volume26 gallons (98.42 L)Bridge Clearance (with hardtop)9' 3" (2.82 m)	Maximum Horsepower	800 hp (597 kW)
Transom Height25" (.635 m)Deadrise at Transom20°Fuel Capacity300 gallons (1135 L)Water Capacity46 gallons (174 L)Waste Capacity12 gallons (45 L)Livewell Volume26 gallons (98.42 L)Bridge Clearance (with hardtop)9' 3" (2.82 m)	Minimum Horsepower	600 hp (447 kW)
Transon Trengint20°Deadrise at Transom20°Fuel Capacity300 gallons (1135 L)Water Capacity46 gallons (174 L)Waste Capacity12 gallons (45 L)Livewell Volume26 gallons (98.42 L)Bridge Clearance (with hardtop)9' 3" (2.82 m)	Maximum Engine Weight	1,400 lbs (635 kg)
Fuel Capacity300 gallons (1135 L)Water Capacity46 gallons (174 L)Waste Capacity12 gallons (45 L)Livewell Volume26 gallons (98.42 L)Bridge Clearance (with hardtop)9' 3" (2.82 m)	Transom Height	25" (.635 m)
Water Capacity 46 gallons (174 L) Waste Capacity 12 gallons (45 L) Livewell Volume 26 gallons (98.42 L) Bridge Clearance (with hardtop) 9' 3" (2.82 m)	Deadrise at Transom	20°
Waste Capacity 12 gallons (45 L) Livewell Volume 26 gallons (98.42 L) Bridge Clearance (with hardtop) 9' 3" (2.82 m)	Fuel Capacity	300 gallons (1135 L)
Livewell Volume 26 gallons (98.42 L) Bridge Clearance (with hardtop) 9' 3" (2.82 m)	Water Capacity	46 gallons (174 L)
Bridge Clearance (with hardtop) 9' 3" (2.82 m)	Waste Capacity	12 gallons (45 L)
	Livewell Volume	26 gallons (98.42 L)
Decider Olegenerge (with redex and greatlight) 1017" (0.00 m)	Bridge Clearance (with hardtop)	9' 3" (2.82 m)
Bridge Clearance (with radar and spotlight) IU' 1" (3.23 m)	Bridge Clearance (with radar and spotlight)	10' 7" (3.23 m)



STANDARD EQUIPMENT

- All hardware 316-L stainless steel
- All rails welded 316-L stainless steel

DECK / COCKPIT

• 12 V receptacle

WHALER

- 28" interior freeboard
- 8" stainless steel cleats bow (2), spring line (2), stern with hawse pipes (2), anchor (1)
- Acrylic transom door
- Bow and stern lifting eyes
- Cockpit coaming bolsters
- Cockpit shower
- · Covered telescoping stainless steel swim ladder with stainless steel grab rail
- Drink holders (8)
- Gunnel mounted stainless steel rod holders (4)
- Heavy-duty rub rail
- Raw water washdown with coil hose storage
- Self-bailing cockpit
- · Stainless steel anchor roller assembly with safety lanyard
- Stainless steel cockpit toe rails
- Stainless steel grab rails
- Stern stainless steel hawse pipes with drink holders
- Transom mounted stainless steel rod holders (3)
- Welded stainless steel bow rail
- Pilothouse and Hard-top System Includes: Cockpit floodlight, dome light, and rod holders (4)
- Helm deck table
- Integrated windshield, hard-top, and pilothouse bulkhead
- Locking door with opening window
- Prep Center Corian solid surface countertop with sink and storage starboard side
 of cockpit
- Speakers (2)

٠

- · Stainless steel grab rails along sides for moving forward
- · Tempered glass full enclosure windshield system with electric vent



325 CONQUEST PH

- · Tempered glass windows in aft bulkhead
- · Windshield wash system
- Windshield wipers (port and starboard)
- Cabin interior stereo system (JL Audio integration into Simrad Navigation Package), JL audio MM105-HR stereo with dash mounted remote volume/mute knob, AM/FM/ HD radio, USB audio, and Sirus XM[™] ready, iPhone/Android compatible via integrated Bluetooth 5.0, JL waterproof speakers (6), 10" subwoofer, and 800 watt amplifier
- Console 12" SIMRAD NSX ELECTRONICS/NAVIGATION PACKAGE Simrad NSX 12" MFD (GPS, Chart plotter, Fishfinder), Active Imaging 3 in 1 Transom Mount Transducer (CHIRP, SideScan, DownScan), C-Map[®] DiscoverTM X Chart Card: North America/ Canada

CONSOLE

- 12" Simrad NSX Electronics/Navigation Package (Simrad NSX 12" MFD (GPS, chart plotter, fishfinder), Active Imaging 3 in 1 transom mount transducer (CHIRP, SideScan, DownScan), C-MAP[®] DISCOVER™ X chart card: North America/Canada
- 12 V receptacle
- Captain's storage compartment
- Compass
- Dual level molded-in footrests
- · Instrumentation and electrical switch panels with circuit breaker protection
- Stainless steel steering wheel with knob

GALLEY

- 110 V outlet
- 12 V / 120 V refrigerator
- Corian[®] solid surface countertop
- · Galley sink with faucet and cutting board
- Microwave
- · Skylight over galley
- Trash receptacle (under c-way step)
- Wood grain galley cabinetry

SEATING

- · Helm seat with cushions and adjustable slider
- · Fold-away stern bench seat
- Port Lounge Seating: Cooler storage
- Forward and aft facing seat with backrests
- Lounge filler

STORAGE

- Battery storage
- Bow anchor locker with drain
- Bow storage lockers under V-berth
- Cabin interior rod racks (4)
- Galley storage
- In-deck fishboxes with drain and pump-out (2)
- Port tackle / storage at port lounge seat (3 drawers with pullout footrest)
- Starboard storage at bait prep station (open storage filler cushion storage and 5-gallon bucket)
- Under gunnel rod racks (4)

HEAD

- 500 GPH shower sump-pump
- Hanging storage
- Lighting
- Mirror
- · Opening porthole with screen
- Shelf with stainless steel retainer rail
- · Stainless steel sink with pressurized water system and pullout shower
- · Storage area (aft bulkhead and under countertop)
- VacuFlush® head, holding tank, dockside pump-out and overboard discharge

CABIN INTERIOR

- 12 V receptacles (cabin and mid berth)
- Cabin lights (5)
- Carbon monoxide detector
- · Dinette table with gas-assisted base
- Drink holders (3) (forward berth)
- · Easy clean interior materials
- Forward berth cushions with backrest
- Lockable sliding acrylic cabin door
- Mid double berth
- Opening hatch with screen
- Opening portholes with screens galley (1), mid berth (1)
- Premium Package Integrated Mercury SmartCraft Connect (replaces SmartCraft Deluxe Gauge Package), baskets (2) in mid cabin, interior lighting upgrade (light in mid berth and at forward berth)
- V-berth filler cushions

MECHANICAL

- 300 V8 DTS Dual Black Mercury[®] Verado[®] with hydraulic power steering
- Active Engine Trim (Mercury option that automatically adjusts drive trim based on speed)
- Anchor windlass low profile with rode and anchor (FR 1,000 watt)
- Automatic bilge pumps (1,100 GPH forward, 2,000 GPH aft)
- Battery trays with switches (3)
 - Cockpit lighting (blue/white LED)
 - Electric horn
 - · Electric trim tabs with indicator
 - · Engine fuel / water separators
 - Fuel tank (200-gallons)
 - · High water bilge pump with alarm
 - · Insulated livewell with light, raw water fill, blue interior, and flow control
 - Navigation lights
 - · Pressurized freshwater system
 - · Raw water washdown with coil hose storage
 - · Shore power with battery charger and galvanic isolator (ELCI system)
 - Stainless steel propellers
 - · Stainless steel thru hulls
 - · Tilt steering
 - Transducer mount area

VESSELVIEW MOBILE

- Display key engine data on your smartphone (Android or Apple® iPhone)
- Bluetooth[®] connection vi VesselView[®] Mobile app (compatible while connected to stereo)
- · Troubleshooting assistance with dealer notification



325 CONQUEST PH

NOTABLE OPTIONS/ ACCESSORIES

- $\hfill\square$ 12 V DC receptacles (electric reels/downriggers) (2)
- □ Air conditioning reverse cycle (7,000 BTU)
- 🗌 Anchor stainless steel
- \Box Anchor windlass chain (150')
- □ Bow thruster (12 V)
- □ Cabin Comfort Package includes: forward berth accessories (fitted sheet, flat sheet, two standard size pillow cases) mid-berth accessories (comforter, fitted sheet, flat sheet, two standard pillow cases, two standard pillow shams, privacy curtain)
- Cruising Package includes: dockside hookup for water, electric single burner stove, water heater
- □ Diesel heater system (not compatible with cockpit refrigerator)
- 🗌 Entertainment Package includes: 21" flat screen HDTV 12 V, TV cable input
- European Prewired Entertainment Package includes: TV cable input, prewire for TV in cabin, ship loose TV mount
- □ Generator (low CO gas (7 kW)
- 🗌 Lighting underwater LED
- □ Outriggers radial outriggers (black)
- Premium Package Integrated Mercury SmartCraft Connect (replaces SmartCraft Deluxe Gauge Package), storage baskets (2) in mid cabin; interior lighting upgrade (reading light in mid berth and reading light at forward berth)
- □ Privacy curtain (mid cabin)
- □ Rails split bow rail (replaces standard bow rail)
- □ Rails white rub rail with stainless steel insert
- 🗌 Rails black rub-rail with stainless steel insert
- □ Refrigerator at cockpit (stainless steel with Corian countertop) (not compatible with diesel heater system)
- □ Spotlight
- □ Sunshade at bow
- □ Sunshade at cockpit
- Table at cockpit

SEATING

- □ Cockpit foldout bench seat (port side) (deletes rod racks)
- □ Cockpit foldout bench seat (starboard side) (deletes rod racks)
- □ Fold-down trolling seat (port side) (deletes rod racks)
- □ Fold-down trolling seat (starboard side) (deletes rod racks)
- 🗌 Sun lounge

TOPS/TOWERS

 Hardtop gelcoat (hardtop underside color matches hull color) (options include abaco blue or platinum)

ENGINES

- 250 CXL V8 DTS dual Mercury FourStroke with Joystick Piloting (Integrated Mercury SmartCraft Connect included). (Replaces SmartCraft Deluxe Gauge Package)
 Outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)
- 250 CXL V8 DTS dual white Mercury FourStroke with Joystick Piloting (Integrated Mercury SmartCraft Connect included). (Replaces SmartCraft Deluxe Gauge Package) Outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)
- 250 CXL V8 DTS Dual White Mercury FourStroke with hydraulic power steering.
- 250 CXL V8 DTS Dual Black Mercury FourStroke with JOYSTICK PILOTING (VesselView 4" display included). Outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting).
- 250 CXL V8 DTS Dual White Mercury FourStroke with Joystick Piloting (VesselView 4" display included). Outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting).
- \square 300 V8 DTS Dual White Mercury Verado and hydraulic power steering
- 300 V8 DTS Dual Black Mercury Verado with Joystick piloting. Outboard docking system with joystick electronic steering. Autopilot keypad and functionality, (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)
- 300 V8 DTS Dual White Mercury Verado with Joystick piloting. Outboard docking system with joystick electronic steering. Autopilot keypad and functionality, (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)
- 350 L6 DTS Dual Black Mercury Verado and hydraulic power steering (91 octane fuel recommended)
- □ 350 L6 DTS Dual White Mercury Verado and hydraulic power steering (91 octane fuel recommended)
- 350 L6 DTS Dual Black Mercury Verado with Joystick Piloting. Outboard docking system with joystick electronic steering, Autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting) (91 octane fuel recommended)
- 350 L6 DTS Dual White Mercury Verado with Joystick Piloting. Outboard docking system with joystick electronic steering, Autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting) (91 octane fuel recommended)
- □ 400 DTS Dual White Mercury Verado with Joystick Piloting. Outboard docking system with joystick electronic steering. Autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)
- □ 400 DTS Dual Black Mercury Verado with Joystick Piloting. Outboard docking system with joystick electronic steering. Autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)
- □ 400 L6 DTS Dual Black Mercury Verado with hydraulic power steering (91 Octane fuel recommended)
- □ 400 L6 DTS Dual White Mercury Verado with hydraulic power steering (91 Octane fuel recommended)



325 CONQUEST PH

ELECTRONICS

- NAUTIC-ON remote connectivity (must select battery charging system or summer kitchen) (deletes VesselView mobile) includes: 24/7 access to your boat's information using the NAUTIC-ON app, monitor house and engine battery state and bilge pump activity, review live engine data and diagnostics, track location with Smart Breadcrumbing and GeoFence, view weather conditions at the boat, 3-month free subscription
- 16" Simrad NSO evo3S Electronics/Navigation Package (replaces standard 12" Simrad NSX display), Simrad NSO evo3S 16" screen (GPS, chart plotter, fishfinder), integrated Mercury VesselView link (replaces Mercury SmartCraft Connect)
- Auot pilot (not compatible with Joystick Piloting) Simrad NAC-2 autopilot computer
- 🗌 Radar Simrad HALO24 4 kW 24" high definition digital dome
- □ Satellite weather and radio (requires monthly subscription), satellite radio Sirius, satellite receiver with antenna, Simrad WM-4 Sirius, Marine Weather Receiver
- □ Thru hull transducer (must select 16" Simrad NSO Electronics/Navigation Package), 1,000 watt thru hull transducer (SS175 Med) and SonarHub[™] module
- UHF radio Simrad RS40 VHF radio with AIS and HS40 wireless handset
- □ Premium Audio Package (JL audio 10" subwoofer and JL amplifier M600/6 that replaces standard M400H)
- Entertainment Package 19" flat screen HDTV 12 V with swivel for increased viewing positions, DVD player
- □ Flir Thermal Night Vision With Pan, Tilt and Zoom (9hz) M232 Thermal camera with pan, tilt and 4X zoom, mvounted on top of 18″ pedestal for 360 deg view
- 🗌 Radar (open array) Simrad HALO-4 pulse compression radar with 48" open array antenna
- □ Satellite weather and radio (requires monthly subscription)
- $\hfill\square$ Satellite radio Sirius satellite receiver with antenna
- □ Simrad WM-4 Sirius Marine Weather Receiver
- □ THRU HULL TRANSDUCER (Must select 12" Simrad NSX Additional Display Or 16" Simrad NSO Evo3s Electronics Package), 1,000 watt thru hull transducer (SS175 med) and SonarHub™ module
- UHF RADIO Simrad RS40 VHF Radio with AIS and HS40 wireless handset

CANVAS

- Pedestal seat cover (black or blue)
- □ Sun lounge cover (black or blue)

COLOR PAINTED HULLS

- Abaco Blue
- □ Fighting Lady Yellow
- Horizon Blue
- Ice Blue
- $\hfill\square$ Jadestone
- 🗌 Oyster Gray
- Platinum
- $\hfill \square$ Sand Metallic
- Steel Blue
- Tectonic Silver
- 🗌 Wasabi

GRAPHICS (BW LOGO, MODEL DESIGNATOR, STRIPE)

- Black graphics
- Blue graphics
- \Box Chrome graphics (with silver model designator & stripe)
- Red graphics
- □ Silver graphics
- White graphics

