


SPECIFICATIONS

LOA	32' 3" (9.83 m)
Beam	10' 8" (3.25 m)
Draft (hull only)	26" (.66 m)
Weight (dry, no engine)	10,500 lbs (4,762 kg)
Weight (with engine, fuel and water)	14,290 lbs (6,482 kg)
Maximum Weight Capacity	4,300 lbs (1,950 kg)
Swamped Capacity	2,300 lbs (1,043 kg)
Persons Capacity	14
Maximum Horsepower	800 hp (597 kW)
Minimum Horsepower	600 hp (447 kW)
Maximum Engine Weight	1,400 lbs (635 kg)
Transom Height	25″ (.635 m)
Deadrise at Transom	20°
Fuel Capacity	300 gallons (1,135 L)
Water Capacity	46 gallons (174 L)
Waste Capacity	12 gallons (45 L)
Bridge Clearance (with hardtop)	9' 3" (2.82 m)
Bridge Clearance (with radar and spotlight)	10' 7" (3.23 m)



STANDARD EQUIPMENT

- All hardware 316-L stainless steel
- All rails welded 316-L stainless steel

DECK / COCKPIT

• 12 V receptacle

WHALER

- 28" interior freeboard
- 8" stainless steel cleats bow (2), spring line (2), stern with hawse pipes (2), anchor (1)
- Acrylic transom door
- Bow and stern lifting eyes
- Cockpit coaming bolsters
- Cockpit prep center, Corian solid surface countertop with sink and storage
- Cockpit shower
- · Covered telescoping stainless steel swim ladder with stainless steel grab rail
- Drink holders (8)
- Gunnel mounted stainless steel rod holders (4)
- Heavy-duty rub rail
- Raw water washdown with coil hose storage
- Self-bailing cockpit
- · Stainless steel anchor roller assembly with safety lanyard
- · Stainless steel cockpit toe rails
- Stainless steel grab rails
- · Stern stainless steel hawse pipes with drink holders
- Transom mounted stainless steel rod holders (3)
- Welded stainless steel bow rail
- Windshield and hard-top system includes: cockpit floodlight, dome light and rod holders
 (4) (white or black depending on frame color selection)
- · Integrated windshield (white or black depending on frame color selection) and hard-top
- Speakers (2)
- · Stainless steel grab rails along sides
- · Tempered glass full front windshield with electric vent
- · Windshield wash system
- Windshield wipers (port and starboard)



CONSOLE

- 12" Simrad NSX Electronics/Navigation Package, Simrad NSX 12" MFD (GPS, chart plotter, fishfinder), Active Imaging 3 in 1 transom mount transducer (CHIRP, SideScan, DownScan), C-MAP[®] DISCOVER™ X chart card: North America/Canada
- 12 V receptacle
- Captain's storage compartment
- Compass
- Dual level molded-in footrests
- Instrumentation and electrical switch panels with circuit breaker protection
- Stainless steel steering wheel with knob

GALLEY

- 110 V outlet
- 12 V / 120 V refrigerator
- Corian solid surface countertop
- Galley sink with faucet and cutting board
- Microwave
- Skylight over galley
- Trash receptacle (under c-way step)
- Wood grain galley cabinetry

SEATING

- Convertible port seat / lounge
- Aft facing seat
- Aft seating with reversible backrest
- Cooler storage
- Lounge filler
- Foldaway stern bench seat
- · Helm seat with cushions and adjustable slider

STORAGE

- Battery storage
- Bow anchor locker with drain
- Bow storage lockers under V-berth
- Cabin interior rod racks (4)
- Galley storage
- In-deck fishboxes with drain and pump-out (2)
- Port tackle / storage at port lounge seat (3 drawers with pullout footrest)
- Starboard storage at bait prep station (open storage filler cushion storage and 5-gallon bucket)
- Under gunnel rod racks (4)

HEAD

- 500 GPH shower sump-pump
- Hanging storage
- Lighting
- Mirror
- Opening porthole with screen
- Shelf with stainless steel retainer rail
- Stainless steel sink with pressurized water system and pullout shower
- Storage area (aft bulkhead and under countertop)
- VacuFlush $^{\otimes}$ head with holding tank (6.5-gallons), dockside pump-out and overboard discharge

CABIN INTERIOR

- Stereo system (JL audio integration into Simrad Navigation Package), JL audio MM105-HR stereo with dash mounted remote volume/mute knob, AM/FM/HD radio, USB audio, and Sirus XM[™] ready, iPhone/Android compatible via integrated Bluetooth 5.0, JL waterproof speakers (6), 10" subwoofer, and 800 watt amplifier
- 12 V receptacles (cabin and mid berth)
- Cabin lights (5)
- Carbon monoxide detector
- Dinette table with gas-assist base
- Drink holders (3) (forward berth)
- Easy clean interior materials
- Forward berth cushions with backrest
- Lockable sliding acrylic cabin door
- Mid double berth
- Opening hatch with screen
- Opening portholes with screens galley (1), mid berth (1)
- V-berth filler cushions

MECHANICAL

- 300 V8 DTS dual black Mercury® Verado® with hydraulic power steering
- 250 CXL V8 DTS Black Dual Mercury FourStroke engines with hydraulic power steering
- Anchor windlass (low profile with rode and anchor) (FR 1,000 W)
- Active Engine Trim (Mercury option that automatically adjusts drive trim based on speed)
- Automatic bilge pumps (1,100 GPH forward, 2,000 GPH aft)
- Battery trays with switches (3)
- Cockpit lighting (blue/white LED)
- Electric horn
- · Electric trim tabs with indicator
- Engine fuel / water separators
- Fuel tank (200-gallons)
- High water bilge pump with alarm
- · Insulated livewell with light, raw water fill, blue interior, and flow control
- Navigation lights
- · Pressurized freshwater system
- Raw water washdown with coil hose storage
- Shore power with battery charger and galvanic isolator (ELCI system)
- Stainless steel propellers
- Stainless steel thru hulls
- · Tilt steering
- Transducer mount area

VESSELVIEW MOBILE

- Display key engine data on your smartphone (Android or Apple iPhone)
- Bluetooth connection via VesselView® Mobile app (compatible while connected to stereo)
- Troubleshooting assistance with dealer notification



NOTABLE OPTIONS/ ACCESSORIES

- \square 12 V DC receptacles at transom for electric reels / downriggers (2)
- □ Air conditioning (reverse cycle 7,000 BTU)
- Anchor stainless steel
- \Box Anchor windlass chain (150')
- □ Bow thruster (12 V)
- □ Cabin Comfort Package includes: forward berth accessories (fitted sheet, flat sheet, two standard size pillow cases) mid-berth accessories (comforter, fitted sheet, flat sheet, two standard pillow cases, two standard pillow shams, privacy curtain)
- □ Cruising Package includes: dockside hookup for water, electric single burner stove, water heater
- □ Diesel heater system (not compatible with cockpit refrigerator)

ENTERTAINMENT PACKAGE

- \square 19" flat screen HDTV 12 V with swivel for increased viewing positions
- DVD player
- □ European Prewired Entertainment Package includes: DVD player, TV cable input, prewire for TV in cabin, ship loose TV mount
- □ Full side glass (integrated with aft legs and hard-top)
- □ Generator (low CO gas (7 kW)
- 🗌 Lighting underwater LED
- □ Outriggers radial outriggers (black)
- Premium Package includes: storage baskets (2) in mid cabin, VesselView 4" display (network connection to Raymarine[®] with Navigation Package), interior lighting upgrades (reading light in forward berth, reading light in mid berth), Premium Audio Package (400 watt stereo amp, cockpit speaker upgrade (2)
- □ Privacy curtain (mid cabin) (included in Cabin Comfort Package)
- □ Rails split bow rail (replaces standard bow rail)
- □ Rails white rub rail with stainless steel insert
- 🗌 Rails black rub-rail with stainless steel insert
- □ Refrigerator at cockpit (stainless steel with Corian countertop) (not compatible with diesel heater system)
- □ Spotlight
- \square Sunshade at bow
- □ Sunshade at cockpit (black or blue)
- 🗌 Table cockpit
- 🗌 Table helm deck table with Corian countertop
- 🗌 Trailer aluminum

SEATING

- \Box Cockpit foldout bench seat (port side) (deletes rod racks)
- $\hfill\square$ Cockpit foldout bench seat (starboard side) (deletes rod racks)
- □ Fold-down trolling seat (port side) (deletes rod racks)
- \Box Fold-down trolling seat (starboard side) (deletes rod racks)
- 🗌 Sun lounge

TOPS/TOWERS

□ Hardtop gelcoat (hardtop underside color matches hull color) (options include abaco blue or platinum)

COLORED HARDTOP FRAME (MUST SELECT COLOR)

- \Box White (standard)
- Black

ENGINES

- 250 CXL V8 DTS dual Mercury FourStroke® with Joystick Piloting (Integrated Mercury SmartCraft Connect included). (Replaces SmartCraft® Deluxe Gauge Package) Outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)
- 250 CXL V8 DTS dual white Mercury FourStroke with Joystick Piloting (Integrated Mercury SmartCraft Connect included). (Replaces SmartCraft Deluxe Gauge Package) Outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)
- \square 250 CXL V8 DTS dual white Mercury FourStroke with hydraulic power steering.
- 250 CXL V8 DTS dual Black Mercury FourStroke with Joystick Piloting (VesselView 4" display included). Outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting).
- 250 CXL V8 DTS dual white Mercury FourStroke with Joystick Piloting (VesselView 4" display included). Outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting).
- \square 300 V8 DTS dual white Mercury Verado and hydraulic power steering
- 300 V8 DTS dual black Mercury Verado with Joystick piloting. Outboard docking system with joystick electronic steering. Autopilot keypad and functionality, (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)
- 300 V8 DTS dual white Mercury Verado with Joystick piloting. Outboard docking system with joystick electronic steering. Autopilot keypad and functionality, (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)
- □ 350 L6 DTS dual black Mercury Verado and hydraulic power steering (91 octane fuel recommended)
- □ 350 L6 DTS dual white Mercury Verado and hydraulic power steering (91 octane fuel recommended)
- 350 L6 DTS dual black Mercury Verado with Joystick Piloting. Outboard docking system with joystick electronic steering, Autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting) (91 octane fuel recommended)
- 350 L6 DTS dual white Mercury Verado with Joystick Piloting. Outboard docking system with joystick electronic steering, Autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting) (91 octane fuel recommended)
- 400 L6 DTS Dual Black Mercury Verado with hydraulic power steering (91 Octane fuel recommended)
- 400 L6 DTS Dual White Mercury Verado with hydraulic power steering (91 Octane fuel recommended)
- 400 DTS dual white Mercury Verado with Joystick Piloting. Outboard docking system with joystick electronic steering. Autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)



ELECTRONICS

- □ NAUTIC-ON remote connectivity (must select battery charging system or summer kitchen) (deletes VesselView mobile) includes: 24/7 access to your boat's information using the NAUTIC-ON app, monitor house and engine battery state and bilge pump activity, review live engine data and diagnostics, track location with smart breadcrumbing and geofence, view weather conditions at the boat, 3-month free subscription
- 16" Simrad® NSO evo3S Electronics/Navigation Package (replaces standard 12" Simrad NSX display), Simrad NSO evo3S 16" screen (GPS, chart plotter, fishfinder), integrated Mercury VesselView link (replaces Mercury SmartCraft Connect)
- 🗆 Auot pilot (not compatible with Joystick Piloting) Simrad NAC-2 autopilot computer
- 🗌 Radar Simrad HALO24 4 kW 24" high definition digital dome
- □ Satellite weather and radio (requires monthly subscription), satellite radio Sirius, satellite receiver with antenna, Simrad WM-4 Sirius, Marine Weather Receiver
- □ Thru hull transducer (must select 16" Simrad NSO Electronics/Navigation Package), 1,000 watt thru hull transducer (SS175 Med) and SonarHub[™] module
- \Box VHF radio Simrad RS40 VHF radio with AIS and HS40 wireless handset
- □ Premium Audio Package (JL audio 10" subwoofer and JL amplifier M600/6 that replaces standard M400H)
- □ Entertainment Package 19" flat screen HDTV 12 V with swivel for increased viewing positions, DVD player
- □ Flir thermal night vision with pan, tilt and zoom (9hz) M232 thermal camera with pan, tilt and 4X zoom, mvounted on top of 18" pedestal for 360 deg view
- \square Radar (open array) Simrad HALO-4 pulse compression radar with 48" open array antenna
- \Box Satellite weather and radio (requires monthly subscription)
- \Box Satellite radio Sirius satellite receiver with antenna
- □ Simrad WM-4 Sirius marine weather receiver
- □ Thru Hull Transducer (must select 12" Simrad NSX Additional Display Or 16" Simrad NSO Evo3s Electronics Package), 1,000 watt thru hull transducer (SS175 med) and SonarHub[™] module
- 🗌 VHF radio Simrad RS40 VHF radio with AIS and HS40 wireless handset

CANVAS

- Pedestal seat cover (black or blue)
- □ Sun lounge cover (black or blue)
- U Weather curtain set for hardtop (side curtains and aft drop curtains) (black or blue)
- U Weather curtain set for hardtop with full side glass (aft drop curtain) (black or blue)

COLOR PAINTED HULLS

- 🗌 Abaco Blue
- □ Fighting Lady Yellow
- 🗌 Horizon Blue
- Ice Blue
- $\hfill\square$ Jadestone
- Oyster Gray
- Platinum
- □ Sand Metallic
- Steel Blue
- Tectonic Silver
- 🗌 Wasabi

GRAPHICS (BW LOGO, MODEL DESIGNATOR, STRIPE)

- Black graphics
- Blue graphics
- Red graphics
- \Box Silver graphics
- \Box White graphics
- \Box Chrome graphics (with silver model designator & stripe)

SELECT COLORED HARDTOP FRAME (MUST SELECT COLOR)

- □ White (Standard)
- Black

@2022 Boston Whaler. All rights reserved. Model year boats may not contain all the features or meet specifications described above. Confirm availability of all accessories and equipment with an authorized Boston Whaler dealer prior to purchase. Due to variable environmental conditions, Boston Whaler makes no guarantees regarding performance.

