




380 OUTRAGE

SPECIFICATIONS

L.O.A.	38' (11.58 m)
Beam	11' 8" (3.56 m)
Draft	23.5" (0.6 m)
Weight (dry, no engine)	14,500 lbs (6,577 kg)
Weight (with engines, fuel and water)	19,715 lbs (8,942 kg)
Maximum Weight Capacity	5,214 lbs (2365 kg)
Swamped Capacity	5,000 lbs (2268 kg)
Persons Capacity	16
Maximum Horsepower	1,600 hp (1,193 kW)
Minimum Horsepower	900 hp (671 kW)
Maximum Engine Weight	2,800 lbs (1,270 kg)
Transom Height	30" (.8 m)
Transom Angle	15°
Deadrise at Transom	23°
Fuel Capacity	445 gallons (1684.5 L)
Waste Capacity	10 gallons (37.8 L)
Water Capacity	60 gallons (227 L)
Livewell Volume	60 gallons (227 L)(transom)
Bridge Clearance (with top)	9' 0" (2.7 m)
Bridge Clearance (with top & radar)	10' 4" (2.8 m)
Bridge Clearance (with upper station)	16' 4" (4.98 m)
European Certification	B



STANDARD EQUIPMENT

- All rails welded 316-L stainless steel
- All hardware 316-L stainless steel

DECK/COCKPIT

- 10" stainless steel pull-up cleats: bow (2), spring line (2), crosstie cleats at transom (2)
- 10" stainless steel cleats: stern cockpit with gunnel board hawse pipe (2), anchor locker (1)
- 29" interior freeboard
- Acrylic transom door with stainless steel latch
- Anchor – galvanized
- Anchor roller davit – stainless steel thru hull
- Bow eye – heavy duty polished stainless steel
- Chrome Boston Whaler logo
- Dive door – molded fiberglass boarding door on port side with removable stainless steel dive ladder with dedicated storage in transom seat
- Drink holders – stainless steel; (2) in bow, (2) in hawse pipes, (2) at helm, (2) at console lounge, (2) in cockpit couch armrests and (4) in couch flip table
- Full coaming bolsters from bow to stern
- Lighting – LED courtesy lighting throughout cockpit, blue rope lighting
- Lighting – LED courtesy lights in mechanical bilge (4-white), bow seating storage compartments (3-blue), anchor working area (white) and console storage (3-white)
- Livewell – pressurized (60 gallon) located at the transom on centerline with acrylic lid, blue interior with removable divider and dual red LED lighting (2000 GPH pump)
- Motorwell drains
- Rails – low profile interior bow rail – welded stainless steel
- Rails – cockpit toe rails – stainless steel
- Rails – grab rails – stainless steel; forward lounge (2), couch leaning post, cabin companionway
- Rod holders – stainless steel gunnel mounted; at bow (4), STBD cockpit (3), port cockpit (2), integrated into hardtop frame (6)
- Rod holders – stainless steel transom mounted (2)
- Rod holders – under starboard gunnel (3) for 6' rods (deleted with cockpit seating option)
- Rub-rail – heavy duty white rub-rail with stainless steel insert

- Self-bailing cockpit sole
- Swim platform with recessed telescoping boarding ladder and grab rail
- Under gunnel storage shelf with downrigger weight holders (2 per side)

CONSOLE

- Center helm layout
- Compass with back lighting
- Dash visor with custom stitched cover and recessed storage tray with USB and 12V charging receptacles
- Drink holders (2)
- Electrical switch panel with illuminated text
- Electronics mounting surface with space for dual 16" displays
- Footrest molded into console with fold-down standing platform with maintenance free, anti-fatigue synthetic surface, provides improved visibility for captain and starboard passenger
- Ignition switches – remote key switches in main DC panel cabinet with pushbutton start/stop at helm
- Lockable acrylic sliding entry door
- Mercury® DTS dual binnacle controls with integrated engine trim controls
- Steering wheel – cast stainless steel with knob and tilt helm
- Stereo (FUSION® Apollo MS-RA770 with 4.3" color tough screen controls) (integration into Raymarine® with Navigation Package) – includes premium multi-source, multi-zone system, AM/FM, MP3, WiFi, USB and AUX input, iPod/iPhone/Android compatible via integrated Bluetooth®, Sirius XM option ready, stereo remote controls with LCD display and full audio control from cabin, helm and bow, JL Audio waterproof speakers – exterior, 6.5" aft cockpit (2), 7.7" at helm deck (2), 7.7" component at bow (2), 10" sub-woofer at helm deck (1), 6.5" in cabin (2) with JL Audio amplifiers

SEATING

- Foldaway stern bench seat
- Forward console lounge with fold-down armrests, drink holders (2) center armrest with (2) cup holders and 2 outboard arm rests (when center is folded down it provides access to dual USB charging ports)
- Forward deck wrap-around seating with flip-up backrests, drink holders (2), stereo remote and fish box pump out switch
- Helm and companion bolster style seats (3) with fold-down armrests (center seat is electrically actuated, side seats have manual fore and aft adjustment)
- Aft facing seating with stainless steel cup holders integrated into the arm rest (2)

STORAGE EXTERIOR

- Bow anchor locker with drains
- Insulated in-floor fishboxes with pump-out; aft (2) forward (1)
- Lifejacket or optional canvas enclosure storage in the hardtop
- Lockable console front storage – holds (2) 5-gallon buckets and one 36 qt cooler (included)
- Storage under bow seating with LED blue lighting
- Under gunnel cockpit storage shelves
- Helm Deck side coaming pockets with storage nets and blue LED Lighting
- Bow side coaming pockets with storage pockets and blue LED lighting
- Insulated storage compartment under aft facing seat with drain and insulated sealed lid (upgradable to livewell option)

STORAGE INTERIOR

- Storage cabinet on port side
- Storage under galley
- Storage in head

HARDTOP/WINDSHIELD SYSTEM

- Flood lights (2) recessed into hardtop lighting cockpit area
- Flood light (1) recessed into hardtop lighting bow area
- Hardtop support frame – custom powder coated aluminum frame integrated into the deck providing unobstructed walkways – White – (Standard) Hardtop frame, Hardtop ladder bars (Upper Station Frame, Hardtop Storage Rack and Canvas Enclosure Options if applicable)
- Black – Hardtop frame, Hardtop ladder bars (Upper Station Frame, Hardtop Storage Rack and Canvas Enclosure Options if applicable)
- Hardtop access; portside ladder to hatch in hardtop
- Lighting; recessed LED courtesy lighting (blue) (6)
- Lighting; recessed 2 color LED courtesy chart light (red and white) (1)
- Lifejacket/Canvas Enclosure storage
- Lockable electronics box in hardtop
- Outrigger ready
- Rod holders (6)
- Tempered curved glass windshield with electric actuated vent
- Tempered full height side glass
- Windshield defogger integrated into hardtop

COUCH LEANING POST

- Aft facing couch with insulated cooler storage under hinged seat, stainless steel cup holders recessed into seating arms (2) (optional 40-gallon livewell under seat)
- Prep station work surface – easy stow-and-go work surface with teak counter, stainless steel drink holders (4) and poly cutting board
- Grab rails (3)
- Refrigerator/freezer – stainless steel pullout drawer (1.75 cubic feet)
- Storage drawers (3) starboard side drawer system
- Helm and companion bolster style seats (3) with fold-down armrests (center seat is electrically actuated) (side seats have manual fore and aft slides)
- Port side fold-down footrest
- 120 V electrical outlet

CABIN INTERIOR

- Dual USB receptacle, (2) 120 V outlet
- Air conditioner with exterior dash outlets (12K BTU)
- Convertible settee / double berth with easy to clean fabric upholstery
- Fold down seat backs with durable material providing storage conversion surface
- Flooring – solid teak
- Lighting – LED diffused courtesy lights (blue)
- Lighting – LED switchable overhead lights (4) (white)
- Microwave
- Opening portholes (2)
- Skylight and side lights (3)
- Storage cabinets
- Rod storage, (4) 6.5' and (2) 7.5' rods
- Vanity with custom vessel sink
- Trash receptacle

ENCLOSED HEAD

- Fiberglass enclosure with frosted acrylic locking door
- Hinged solid teak toilet cover
- Shower with dedicated wand/sprayer
- Toilet paper holder
- VacuFlush toilet, holding tank with tank vent filter, overboard discharge, and dockside pump-out
- Storage drawers (not compatible with freezer plate option)

MECHANICAL

- 300 V8 DTS Black Triple Mercury Verado® engines with Joystick Piloting; outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting)
- Active Engine Trim (Mercury option that automatically adjusts drive trim based on speed)
- Active Engine Trim upper station (Mercury option that automatically adjusts drive trim based on speed) (must select an upper station option)
- 445-gallon aluminum fuel tank
- Bilge pumps – automatic (1100 GPH berth, 2000 GPH bilge)
- Bilge pump – high water bilge pump with visual and audible alarm (2000GPH)
- Battery charger – 40 AMP and 50 AMP @ 12 V multistage smart charging
- Battery trays (5) with remote switches and automatic charging/paralleling relays
- Bonding system for underwater through hull fittings
- Cast bronze thru hull and seacocks (below waterline)
- Cast stainless steel thru hulls (above waterline)
- Cockpit and machinery space lighting
- Electric trim tabs with indicator (dual ram)
- Electric drive trim
- Electric trumpet horn
- Engine fuel/water separators
- Freshwater – pressurized hot and cold-water system with dockside hookup, with tank level indicator integrated into VesselView® with a 60-gallon tank
- Freshwater manifold system with individual valve per circuit
- Freshwater – hot and cold, sink and shower in console, pull-out shower at transom and dive door
- Freshwater washdown – stainless steel spigot in aft cockpit and anchor compartment
- Generator – low CO gas (7.5 kW) 120 V 60 Hz with fire suppression system, automatic with manual override
- LED navigation lights recessed in hardtop
- Propellers – stainless steel
- Raw-water washdown – stainless steel spigot in aft cockpit
- Self-leveling tab system – Dynamic Running Surface
- Shore power inlets – dual 30-amp with isolation transformers and 50 ft shore power cords included
- Transducer pocket in hull bottom for flush mounting B260/B275 transducer
- Water heater (6 gallon)
- Windlass with handheld remote control, 400' rode with anchor swivel, 35 lb anchor integrated into bow with a polished stainless steel bow roller
- Windshield wiper with wash system

NOTABLE OPTIONS/ ACCESSORIES

- 12 V receptacles at transom for electric reels / downriggers (2)
- Air conditioning – helm deck (18K BTU) providing cool air to helm seating area (not intended to cool helm deck area with enclosure up)
- Anchor windlass chain (300 feet) (replaces standard rode)
- Audio Package – premium – includes: additional JL Audio waterproof speakers – exterior; 7.7" helm deck (2), 8.8" bow (2), JL Audio waterproof subwoofer – increases from 10" (500W) to 12" (1000W), additional JL Audio amplifiers (2)
- Batteries – GR31 AGM (factory installed)
- Bow thruster (4kW) 12 V
- Bow tow eye – polished stainless steel

- Commissioning kit – includes: air horn, batteries – Group 31 AGM (5), boat Hook, dock lines (8), tenders (4), fire extinguishers (2), first aid kit, flare kit, life vests (type1 offshore (10) with custom storage bags), spare fuel filters (3), throw cushion, tool kit (basic), water/holding tank supplies
- Dive tank holders (4) in console front storage
- Engine flushing system (automatic) (push button in cockpit to activate timed flush sequencing between engines)(standard on 600 V12 engines)
- Fender Clips – (qty 6)
- Refrigeration plates in fish boxes (port and starboard)
- Refrigeration plates in fish box (starboard)
- Generator (diesel)(12 kW with 20-gallon diesel tank)(replaces low CO gas generator)
- Grill – delete (Deluxe and Summer Kitchen Leaning Posts only)
- Gyroscopic Stabilizer (Seakeeper) (120 V) (must select diesel generator)
- Lighting – underwater LED (blue) transom mounted (4), side hull mounted in trim tab pockets (2)
- Livewell (not compatible with deluxe and summer kitchen leaning posts or SeaKeeper option) – includes: aft facing couch with insulated livewell/cooler under hinged seat, pressurized livewell (40 gallons) with clear lid, blue interior and red lights,
- 1,100 GPH pump
- Outriggers – premium outriggers (Gemlux) (stainless steel) (hardtop mounted)
- Outriggers – radial outriggers (Gemlux) – SS (black)(hardtop mounted)
- Rails – black rub-rail with stainless steel insert
- Rails – stainless steel bow rail (replaces low profile rail) (not compatible with full canvas mooring option)
- Rails – stainless steel split bow rail (replaces low profile rail)
- Refrigerator/freezer (starboard side of leaning post) (stainless steel drawer)
- 12 V / 120 V (1.75 cubic feet) (not compatible with Seakeeper Gyro Stabilizer, replaces drawer storage)
- Refrigerator/freezer delete (deletes standard port refrigerator/freezer and replaces it with tackle storage)
- Spotlight
- Sunshade – at bow (black/tan mesh depending on canvas color selection) (manual setup) (attaches to hardtop extending over the bow area to stainless steel poles inserted into rod holders)
- Sunshade – at cockpit (black/tan canvas depending on canvas color selection) (electrically retracts and deploys from inside the hardtop) (electric polished stainless-steel telescoping)
- Sunshade at cockpit (black/tan mesh depending on canvas color selection) (manual setup)(attaches to hardtop extending to stainless steel poles inserted into aft rod holders)
- Table – teak bow table with filler cushion and canvas cover (electrically raised and lowered)
- Table – synthetic teak fiberglass bow table with filler cushion and canvas cover (electrically raised and lowered)
- Table – teak aft cockpit tables (2) with dedicated storage on underside of mechanical space hatch
- Table – synthetic teak fiberglass aft cockpit tables (2) with dedicated storage on underside of mechanical space hatch
- Water delivery at manufacturing plant – includes all items from commissioning kit plus 445-gallons of fuel, Navionics platinum chart card and GR31 AGM batteries (factory installed)
- Water delivery at manufacturing plant with upper station – includes all items from commissioning kit plus 445-gallons of fuel, Navionics platinum chart card and GR31 AGM batteries (factory installed)

- Yacht Tender Package (must be selected if vessel will be towed as a tender) (must select bow tow eye) – includes: ball valves on box thru hulls, clam shells over critical hull side thru hulls, engine covers (3), high water activated strobe light and horn
- Summer kitchen leaning post (replaces couch leaning post) (not compatible with gyro option) – includes: custom helm and companion bolster style seats (3) with fold-down armrests (center seat electrically actuated), concealed bank of drawers and storage, cutting board that closes out sink opening providing a larger counter work surface, drink holders (4), electric stainless steel grill, footrest molded into console (fold-down standing platform with maintenance free, anti-fatigue synthetic surface, providing improved visibility for captain and starboard passenger), freshwater sink (extra-large) with hot and cold water, stainless steel grab rail, port side fold-down footrest, refrigerator/freezer (stainless steel drawer 12 V / 120 V (1.75 cubic feet)), storage drawers (3) (starboard side drawer system), storage lid with storage shelf, paper towel holder and storage nets, 120 V electrical outlet
- Summer kitchen leaning post with gyro (replaces couch leaning post) (not compatible with starboard refrigerator, helm deck A/C and summer kitchen) (must select gyro) – includes everything in the Summer Kitchen Leaning Post, but reduces storage on aft face and deletes starboard side storage drawers

INTERIOR OPTION

- Standard
- Dusk

SEATING

- Couch leaning post with gyro (not compatible with livewell, starboard refrigerator and helm deck A/C options) – includes everything in the standard leaning post, but deletes the fiberglass insulated cooler storage bucket under the seat and replaces it with a non-insulated storage compartment (deletes starboard side storage drawers and is replaced by storage pocket)
- Deluxe leaning post with bait prep center (replaces couch leaning post) (not compatible with gyro and helm deck A/C) – includes: bait prep area with cutting board, custom helm and companion bolster style seats (3) with fold-down armrests (center seat electrically actuated), footrest molded into console (fold-down standing platform with maintenance free, anti-fatigue synthetic surface providing improved visibility for captain and starboard passenger), drink holders (4), electric stainless steel grill, freshwater sink with hot and cold water, stainless steel grab rail, port side fold-down footrest, pressurized livewell (30 gallon) with clear lid, blue interior and red lights, refrigerator/freezer (stainless steel drawer 12 V / 120 V (1.75 cubic feet)), storage drawers (3) (starboard side drawer system), storage lid (with tool holders, storage nets, and leader holders), tackle storage drawers with Plano Boxes on aft face, 120 V electrical outlet
- Deluxe leaning post with bait prep center and gyro (not compatible with starboard refrigerator, helm deck A/C and summer kitchen options) (must select gyro) – includes everything in the deluxe leaning post option, but deletes the livewell and starboard storage drawers
- Deluxe leaning post livewell – delete (requires deluxe leaning post option) (compatible with helm deck A/C) (deletes the 30-gallon livewell, replacing it with increased storage, larger sink and paper towel holder on the lid same as the Summer Kitchen layout)
- Fiberglass cockpit fold-out bench seat (starboard) (replaces under gunnel rod holders and (1) gunnel rod holder)
- Fold-down trolling seats (2) (replaces port and starboard net storage compartments on helm deck)

TOPS/TOWERS

- Hardtop gelcoat (hardtop underside color matches hull color) (must select hardtop) (options include abaco blue or platinum)
- Upper station with joystick piloting – Bimini Top Material – White or Black Stamoid® depending on frame color selection – includes: control box and seating canvas cover (black/yan depending on canvas color selection), ladder access to the hardtop, LED lighting – blue (4), powder coated upper station frame (White or Black Stamoid® depending on frame color selection), tilt helm with stainless steel steering wheel, upper station control box (with VesselView 7" display, DTS throttle and shift, compass, and drink holders (2), upper station upholstery with backrest and flip up bolsters "Shore (tan) or "Sea" (grey) depending on exterior upholstery selection), VHF antenna extension (Navigation Package required)

ENGINES

- 300 V8 DTS White Triple Mercury Verado engines with Joystick Piloting; outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting)
- 300 V8 DTS Black Quad Mercury Verado engines with Joystick Piloting; outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting)
- 300 V8 DTS White Quad Mercury Verado engines with Joystick Piloting; outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting)
- 400 L6 DTS Black Triple Mercury Verado engines with Joystick Piloting. Outboard docking system with joystick, electronic steering, skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting, also deletes standard bow thruster) (91 octane fuel recommended)
- 400 L6 DTS White Triple Mercury Verado engines with Joystick Piloting. Outboard docking system with joystick, electronic steering, skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting, (91 octane fuel recommended)
- 400 L6 DTS Black Quad Mercury Verado engines with Joystick Piloting. Outboard docking system with joystick, electronic steering, skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting, (91 octane fuel recommended)
- 400 L6 DTS White Quad Mercury Verado engines with Joystick Piloting. Outboard docking system with joystick, electronic steering, skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting, (91 octane fuel recommended)
- 600 V12 DTS Dual Black Mercury FourStrokes with JOYSTICK PILOTING. Outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting)
- 600 V12 DTS Dual White Mercury FourStrokes with JOYSTICK PILOTING. Outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Raymarine or other standalone optional autopilot not permitted with Joystick Piloting)

ELECTRONICS

- Raymarine Automatic Identification System Transceiver (AIS Ray700 Transceiver) (must select a Navigation Package)
- Raymarine Augmented Reality (must select AIS option) (includes CAM220 IP video camera, and AR200 IP camera stabilization module)
- Raymarine Autopilot Evolution EV-400 with 3.5" color TFT display (must select Navigation Package) (not compatible with Joystick piloting)
- Raymarine Autopilot Evolution for Upper Station with 3.5" color TFT display (must select Navigation Package and upper station) (not compatible with Joystick piloting)
- Raymarine 16" Axiom Pro RVX Electronics / Navigation Package (Raymarine Axiom Pro-RVX 15.6" MFD) (1,000 W thru-hull transducer B275 flush mounted) (Ray63 VHF radio with wireless handset) (Navionics Chart Card: North America/Canada)
- Raymarine 16" Axiom Pro S Additional Display Electronics Package (Raymarine Axiom Pro S 15.6" with single channel CHIRP sonar) (CPT100 Transom Mount Transducer)
- Raymarine 16" Axiom Pro XL Electronics / Navigation Package (Raymarine Axiom XL 16" screen) (GPS/chart plotter/fishfinder) (Raymarine Sounder RV-100) (1,000 W thru-hull transducer B175 med) (Ray63 VHF radio with wireless handset) (Navionics Chart Card: North America/Canada)
- Raymarine 16" Axiom Pro XL Additional Display Electronics Package (Raymarine Axiom XL 16" screen) (GPS/chart plotter/fishfinder) (dash surface – custom black acrylic integrated with switch panels) (must select a Navigation Package)
- Raymarine 9" Axiom Pro S Electronics for Upper Station (Raymarine Axiom Pro S 9" with single channel CHIRP sonar) (Raymarine VHF wireless handset and wireless/Bluetooth speaker)
- Raymarine 9" Axiom Electronics for Upper Station (Raymarine Axiom 9" screen) (GPS/chart plotter/fishfinder) (Raymarine VHF wireless handset and wireless/Bluetooth speaker)
- Raymarine Radar – Magnum Open Array with Satellite Weather (must select a Navigation Package) (requires monthly subscription) (Raymarine 4 kW Magnum Digital Radar with 48" Open Array Antenna) (Raymarine Sirius marine weather receiver)
- Raymarine Radar – Open Array (4 kW magnum digital radar with 48" open array antenna) (must select a Navigation Package)
- Raymarine Satellite Weather (Sirius Marine Weather Receiver) (requires monthly subscription) (must select Navigation Package)
- Raymarine Radar with Satellite Weather – Open Array (4kW magnum digital radar with 48" open array antenna) with Raymarine Sirius weather receiver (requires monthly subscription) (must select a Navigation Package)
- Raymarine M-232 Fixed Thermal Night Vision with pan, tilt and zoom (9 Hz) (must select a Navigation Package)
- Raymarine M-332 Thermal Night Vision with pan, tilt and zoom (must select a Navigation Package)
- RealVision 3D Sonar Direct Connect (CHIRP Downvision, Sidevision) (must select Axiom RVX Navigation Package) (RV-100 3D Transom Mount Transducer)
- Satellite radio – Sirius satellite receiver with antenna integrated into stereo
- Theft Deterrent System with connected vessel (Mercury TDS anti-theft security key fob immobilizes engine when not present) (telematics tracking system with GeoFence notification) (3-year monitoring included) (Whaler Watch mobile app) (remote monitoring and notification of high-water bilge alarm, tank levels, batteries, shore power connections and propulsion system information)
- VesselView Mobile

CANVAS

- Canvas Cover Package (black/tan Sunbrella® depending on canvas color selection) – includes: console cover, forward cushion covers, storage garage covers, helm seat cover, couch seating cover, aft flip-down seat bolster cover, triple engine cover
- Canvas enclosure (Rigid Makrolon® with White or Black Stamoid® material depending on frame color selection) – includes hardtop aft curtain, full beam enclosure, hardtop wing curtains with 2 side panels per side providing a full beam enclosure including entrance to console and Storage Bag; Protective mesh bag for enclosure storage
- Canvas mooring cover – includes: full boat mooring cover with lightweight breathable material, attaches to underside of hardtop extending over cockpit and bow area, ratchet strap system secures perimeter below rub rail (not compatible with bow rail option)

EXTERIOR UPHOLSTERY COLOR

- Shore (Tan) (standard) – all exterior upholstery (based on option selection), console dash tan gel coat
- Sea (Gray) – all exterior upholstery (based on option selection), console dash gray gel coat

COLOR PAINTED HULLS

- Abaco Blue
- Fighting Lady Yellow
- Horizon Blue
- Ice Blue
- Jadestone
- Oyster Gray
- Platinum
- Sand Metallic
- Steel Blue
- Tectonic Silver
- Wasabi

GRAPHICS (CHROME BW LOGO, BOOT STRIPE)

- Black graphics
- Blue graphics
- Red graphics
- Chrome graphics (with silver stripe)
- Silver graphics
- White graphics

COLORED HARDTOP FRAME (MUST SELECT COLOR)

- White (standard)
- Black