




SPECIFICATIONS

L.O.A.	36′ 5″ (11.12 m)
Beam	11′ 3″ (3.43 m)
Draft	27" (0.69 m)
Weight (dry no engine)	13,383 lbs (6,070 kg)
Weight (with engines, fuel and water)	18,281 lbs (8,292 kg)
Maximum Weight Capacity	5,810 lbs (2,635 kg)
Swamped Capacity	5,000 lbs (2,268 kg)
Persons Capacity	14
Maximum Horsepower	1,350 hp (1,007 kW)
Minimum Horsepower	900 hp (671 kW)
Maximum Engine Weight	2,650 lbs (1,202 kg)
Transom Height	30" (0.8 m)
Transom Angle	15°
Deadrise at Transom	23º
Fuel Capacity	415 gallons (1,571 L)
Waste Capacity	10 gallons (38 L)
Water Capacity	45 gallons (170.34 L)
Bridge Clearance (with top)	9′ 2″ (2.79 m)
Bridge Clearance (with top and radar)	10′ 0″ (3.05 m)
Bridge Clearance (with upper station)	16′ 8″ (5.08 m)
Bridge Clearance (with thermal camera)	12′ 4″ (3.76 m)
European Certification	В



STANDARD EQUIPMENT

- · All hardware 316-L stainless-steel
- · All rails welded 316-L stainless-steel

DECK/COCKPIT

- 10" stainless steel cleats stern cockpit with gunnel board hawse pipe (2), anchor locker (1)
- 10" stainless steel pull-up cleats bow (2), mid-ship spring line (2), crosstie cleats at transom (2)
- · 28" interior freeboard
- · Anchor roller davit polished stainless steel through hull
- Bow eye
- · Coaming bolsters from bow to stern
- Dive door molded fiberglass boarding door on port side with removable stainless-steel dive ladder with dedicated storage in Summer Kitchen option(s)
- Drink holders stainless steel; (4) at bow seating, (2) in hawse pipes, (2) at helm, (2) in cockpit couch armrests, (2) at forward console lounge
- Lighting LED courtesy lighting throughout cockpit, white/blue rope lighting
- Lighting LED courtesy lights; (4-white) in mechanical bilge, (2-blue) in bow seating storage compartments with auto turn on by ambient light sensor, (2-white) in bow lounge storage compartment, (1-white) in anchor working area, (2-white/blue) in aft facing couch storage
- Lighting LED accent lights: (4-blue) low light accent lights at boarding and walkway areas with auto turn on by an ambient light sensor
- Livewell pressurized (55-gallon) located at the transom on centerline. With clear acrylic lid, blue interior with removable divider and dual Red LED lighting, 2,000 GPH pump
- Logo Boston Whaler chrome Logo hull sides
- Rails bow rail low profile interior rail welded stainless steel
- · Rails cockpit toe rails stainless steel
- Rails grab rails stainless steel; (2) at forward lounge, (2) couch leaning post, cabin companion way
- Rod holders stainless steel, gunnel mounted; (4) at bow, (3) STBD cockpit, (3) port cockpit, (4) transom mounted,
- Rod holders powder coated aluminum frame, hardtop mounted on aft end (5) (white or black depending on frame color)



- Rod holders (3) under starboard gunnel for 6' rods (deleted with cockpit seating option)
- · Rub Rail heavy duty white rub rail with stainless steel insert
- Self-bailing cockpit sole
- Shelf under gunnel storage shelf with downrigger weight holders (2 per side)
- · Swim platform with recessed telescoping boarding ladder and grab rail
- · Transom door acrylic with a stainless-steel latch

HELM CONSOLE

- · Center helm layout
- · Compass with back lighting
- Dash visor with custom stitched cover and recessed storage tray with a dual USB and 12 V charging receptacles.
- Defogger system, port and STBD 12 V heaters with blowers
- · Door fiberglass, locking side entry with stainless steel pantograph hinge
- · Drink holders stainless steel; extra deep (1), standard depth (1)
- · Electronics mounting surface with space for dual 19" displays
- · Glovebox locking with dual USB charging receptacle and stereo AUX USB input
- Footrest molded into console with fold-down standing platform with maintenance free, anti-fatigue synthetic surface, provides improved visibility for captain and starboard passenger.
- · Ignition switches remote key switches located in lockable main DC panel cabinet
- Mercury® DTS dual binnacle controls with integrated Auto Drive Trim, push button start/ stop controls
- · Steering wheel cast stainless steel with knob and tilt helm
- · Switch panel with illuminated text that automatically comes on at dusk
- 16" Simrad NSO evo3S Electronics Navigation Package (includes: Dash surface –
 custom black acrylic integrated with switch panels and flush mounting of display,
 Simrad NSO evo3S 16" screen (GPS, chart plotter, fishfinder, digital switching/system
 monitoring, Integrated Mercury SmartCraft® Control), Simrad Active Imaging 3-in-1
 sonar with CHIRP, SideScan and DownScan, Simrad RS40 VHF with AIS receive only,
 Simrad HS40 wireless handset offering full control of the fixed mount RS40)
- Stereo System (includes: Premium DSP tuned multi Zone System with hideaway receiver (JL Audio integration into Simrad Navigation Package), JL Audio MM105-HR stereo with Dash mounted stereo remote volume/mute knob., AM/FM/HD Radio, dual USB and dual AUX input, iPod / iPhone / Android compatible via integrated Bluetooth® 5.0 or USB (lossless compatible), Sirius XM option ready, Amplifiers 1200 watts Digital Signal Processing (DSP) custom tuned sound system by JL Audio acoustic expert (MV800/8i, M400/4)
- Helm/Cockpit (includes: JL stereo speakers M6 7.7" coax Sport Whaler white/Gun metal grill (2) in hardtop, JL stereo speakers M6 7.7" coax Sport Whaler white/Gun metal grill (2) port and starboard side deck coaming, JL stereo speakers M6 7.7" coax Sport Whaler white/Gun metal grill (2) port and starboard aft cockpit corners, JL subwoofer M6 10" subwoofer Sport Whaler white/Gun metal grill, Stereo remote control JL Audio Wireless remote on armrest of aft facing couch that controls the stereo and volume of the aft cockpit speakers
- Bow (includes: JL stereo speakers M6 7.7" coax Sport Whaler white/Gun metal grill (2) in hardtop JL stereo speakers M6 7.7" coax Sport Whaler white/Gun metal grill (2) port and starboard bow seating pockets, Stereo remote controls (2) JL Audio Wireless remotes on flip down lounge armrest and port bow seating that controls the stereo and volume of the bow speakers

SEATING

- · Aft facing seating with SS drink holders integrated into the teak armrest (2)
- · Bow console lounge with fold-down armrests; (2) drink holders, Dual USB charging ports
- · Filler step/seat with cushion at bow removable providing unobstructed access to bow
- · Foldaway stern bench seat
- Forward port and starboard seats with fold up lounge backrests, (4) drink holders, wireless stereo remote control, storage pockets in coaming with dual USB charging ports, fish box pump out switch
- Helm and companion flip up bolster style seats (3) with (2) fold-down armrests (center seat is mechanically adjustable fore and aft)

HARDTOP/WINDSHIELD SYSTEM

- · Electronics box, lockable
- Hardtop support frame: Custom powder coated aluminum frame integrated into the deck providing unobstructed walkways
- · Hardtop access: aft center ladder to acrylic hatch in hardtop
- · Lighting LED flood lights bow area (1)
- · Lighting LED flood lights aft cockpit area (2)
- · Lighting LED 3-color courtesy chart lights (red, blue, or white) (3)
- · Lighting LED navigation lights flush mounted in hardtop
- Outrigger ready
- Rod holders Powder coated Aluminum frame, hardtop mounted on aft end (5) (white or black depending on frame color)
- Windshield Tempered curved glass with power actuated vent, with tempered full height side glass
- · Windshield wiper with wash system and intermittent control

COUCH LEANING POST

- · 120 V electrical outlet located on starboard side
- Aft facing couch with storage under hinged seats, SS cup holders recessed into Teak armrests (2)
- Prep Station Work surface; Easy stow-and-go work surface with teak counter and SS cup holders (4)
- · Grab rails (2)
- Storage drawers (3) on starboard side of helm seating area (replaced by starboard refrigerator option or refrigerator included in deluxe transom prep station)
- Steps/Ladder on centerline providing easy access to the hardtop through a hatch.
- Storage drawers (3) on port side of helm seating area (replaced with shallow storage box with gyro option or port refrigerator option)
- Helm and companion bolster style seats (3) with outboard fold-down armrests (2) (center seat has manual fore and aft adjustment)
- · USB dual USB charging port on couch armrest

CABIN INTERIOR

- 120 V outlet
- 500 GPH shower sump
- Flooring solid Teak
- · Lighting LED diffused courtesy lights (blue)
- Lighting LED switchable overhead lights (4) (white)
- Mattress 5" foam cushion
- Portlight opening (1)
- Rod storage hidden holders (4) built in face and toe kick of the vanity
- Seat eak seat with satin varnish, hinged over toilet in shower area
- Shower with curtain and pullout faucet sprayer from vanity (cold only without optional Convenience Package)
- Storage cabinet
- Toilet VacuFlush toilet, holding tank with tank level sensor, tank vent filter, overboard discharge, and dockside pump-out
- Vanity cabinet with Solid Surface top, fiberglass sink, pullout faucet (cold water only
 without optional Convenience Package), storage and wastebasket underneath with
 trash shoot in counter surface

MECHANICAL

- · 300 V8 DTS Black Triple Mercury FourStrokes with Joystick Piloting
- Outboard docking system with joystick electronic steering, skyhook/autopilot keypad and functionality. (Simrad or other standalone optional autopilot not compatible with Joystick Piloting)
- 30-AMP shore power inlet with battery charger, galvanic isolator and 50-foot shore power cord



· 415-gallon aluminum fuel tank Bilge pump - automatic with visual indicator (2,000 GPH bilge) Bilge pumps - high water bilge pumps, automatic with visual and audible notification (2,000 GPH aft, 1,100 GPH cabin) Battery trays engine (3), house/thruster (3) with remote switches and automatic charging/paralleling relays Battery chargers - engine batteries (40 amp) and House Batteries (40 amp) 12 V multistage smart charging Bonding system for underwater through hull fittings Digital Vessel Control and Monitoring System Monitoring - batteries, tanks, bilge pumps Controlling - wiper/wash, running/anchor lights, O/H lights (red/blue/white), CTSY cockpit lights (white/blue), underwater lighting, Auto text back-lighting with light sensor - dash panel switches and cockpit switches Faucet - raw-water stainless steel washdown faucet aft port cockpit corner Faucet - freshwater stainless steel washdown faucets in anchor locker and aft port cockpit corner Filters - engine fuel/water separators Freshwater system with 45-gallon tank Horn - electric trumpet horn Propellers - stainless steel Seacocks - cast bronze (below waterline) Shower - freshwater transom shower (cold only without optional Convenience Package) Shower - freshwater dive door shower (cold only without optional Convenience Package) Thru hulls - cast bronze (below waterline) Thru hulls - stainless steel (above waterline) Transducer pocket in hull bottom for flush mounting B275 transducer (transducer included with CHIRP/3D Sonar option) Trim tabs – electric trim tabs with indicator (auto glide, dynamic running surface, dual ram) Windlass with 400' rode and 35-lb polished stainless-steel anchor **STORAGE** Bow anchor locker with drains Cabin storage in vanity, forward hinged cabinet and under berth mattress Console lounge - lockable console front storage (with LED lighting); holds 2 five-gallon buckets (included) Electronics box - lockable storage box in hardtop Fishboxes – insulated in floor fishboxes with pump-out; aft (2), forward (1) Glovebox - lockable Side coaming storage boxes with LED lighting Storage drawers (3) on starboard side of helm seating area (deleted with refrigerator or DLX Prep Station options) Storage drawer (3) on port side of helm seating area (deleted with gyro) Storage compartment with 5-gallon bucket in aft port transom coaming Storage under bow seating with LED lighting Storage compartment under aft facing seating with LED lighting Under gunnel cockpit storage shelves NOTABLE OPTIONS/ ACCESSORIES

☐ 12 V receptacles at transom for electric reels / downriggers (2) ☐ Anchor windlass chain (300') (replaces standard rode)

☐ Battery Package – factory installed group 31 Interstate Batteries (6) with 3-year

warranty (triple engines) (not compatible with dual engine options)

☐ Battery Package – factory installed group 31 Interstate Batteries (5) with 3-year warranty (dual engines) (not compatible with triple engine options) ☐ Bow tow eye - polished stainless steel $\ \square$ Engine flush system – automatic, push button in cockpit to activate timed flush sequencing between engines (not compatible with Verado V 12 (automatically included with V 12 options) ☐ Fender holders – stainless steel pop out (qty 6) ☐ 1st Mate Marine Safety & Security System - Triple Engine (includes captain FOB and 3 passenger FOBs) (not compatible with dual engine option) (included with theft deterrent system option) ☐ 1st Mate Marine Safety & Security System - Dual Engine (includes captain FOB and 3 passenger FOBs) (not compatible with triple engine options) (included with theft deterrent system option) ☐ 1st Mate Marine Safety & Security FOB Kit – includes additional Man Overboard (MOB) FOBs for additional passengers (qty 4) ☐ Hardtop storage rack (includes radar riser for clearance if radar option is selected) (white or black depending on frame color selection) (not compatible with upper station) ☐ Lighting – LED underwater blue (5 total), transom mounted (3), trim tab pockets (2) ☐ Manual Leveling Trim Tab System; Deletes Automatic trim tab (Dynamic Running Surface) provides Manual tab control only ☐ Outriggers, deluxe – Gemlux Bluewater Series radial outriggers – 22 ft carbon fiber outriggers with high polished stainless-steel base with full rotational and vertical control from inside helm deck (hardtop mounted) ☐ Premium Package – upgrades and additional speakers (includes: amplification (400 watts of DSP Amplifiers with custom tuned sound system by JL Audio acoustic expert), MV1000/1 (12"sub), MV800/8i, MV800/8i, MV800/8i, DSP Network Hub integrated into Helm Vessel Control System) Helm/Cockpit (includes: JL stereo speakers M6 8.8" coax Sport Whaler white/Gun metal grill (2) port and starboard side deck coaming replacing 7.7", JL stereo speakers M6 8.8" coax Sport Whaler White/Gun metal grill (2) port and starboard sides of aft facing couch seat base, JL subwoofer M6 12" Sport subwoofer Whaler white/Gun metal grill subwoofer replacing the 10" sub) Bow (includes: JL stereo speakers M6 8.8" coax Sport Whaler white/ gun metal grill (2) port and starboard side deck coaming, JL subwoofer M6 8" (1) additional Sport subwoofer Whaler white/Gun metal grill subwoofer) Cabin (includes: JL stereo speakers M6 7.7" coax Sport Whaler white/Gun metal grill (2) in headliner) ☐ Rails – stainless steel split bow rail (not compatible with mooring cover) ☐ Refrigerator/freezer on starboard side of leaning post – stainless steel drawer ☐ 12 V / 120 V (1.75 cubic feet) (replaces drawer storage) ☐ Refrigerator/freezer on port side of leaning post -stainless steel drawer \square 12 V / 120 V (1.75 cubic feet) (replaces drawer storage) (not compatible with gyro,) ☐ Rod Storage - additional (3) rod storage rack on port wall in cabin ☐ Rubrail - heavy duty black rubrail with stainless steel insert ☐ Satellite radio - SiriusXM[™] satellite receiver with antenna installed, does not include service **ENGINES** ☐ 300 V8 DTS Black Triple Mercury FourStrokes with Joystick Piloting. Outboard

	docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)
	300 V8 DTS White Triple Mercury FourStrokes with Joystick Piloting. Outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)
•	☐ 400 V10 DTS Black Triple Mercury Verado Joystick Piloting. Outboard docking swith joystick electronic steering, and electronic remote control (ERC). Simrad or

standalone optional autopilot not permitted with Joystick Piloting)



400 V10 DTS White Triple Mercury Verado with Joystick Piloting. Outboard docking	☐ First aid kit
system with joystick, electronic steering, and electronic remote control (ERC). (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)	☐ Flare kit
☐ 600 V12 DTS Black Dual Mercury FourStrokes with Joystick Piloting. Outboard	☐ Life vests, type 1 offshore (10)
docking system with joystick electronic steering, Skyhook/autopilot keypad and	\square Spare fuel filters (2 or 3 depending on engine option)
functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)	☐ Throw cushion
□ 600 V12 DTS White Dual Mercury FourStrokes with Joystick Piloting. Outboard	☐ Tool kit (basic)
docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with	☐ Water/holding tank supplies
Joystick Piloting)	WATER DELIVERY AT MANUFACTURING PLANT
CEATING	$\hfill \square$ Includes all items from Commissioning Kit plus 415-gallons of fuel
SEATING Starboard side cockpit foldout bench seat (replaces under gunnel rod holders and (1)	☐ C-MAP® reveal chart card
gunnel rod holder)	
☐ Fold-down trolling seats (2), replaces net fiddles (2) in port and starboard side coaming storage compartments on helm deck	WATER DELIVERY AT MANUFACTURING PLANT WITH UPPER STATION
	☐ Includes all items from Commissioning Kit plus 415-gals of fuel
☐ Sunshade retractable – stern, cockpit (black canvas), electric actuation, polished stainless-steel telescoping	☐ C-MAP® reveal chart card
\square Sunshade – bow, (black mesh) manual setup – attaches to hardtop and (4) collapsible	GENERATOR (NOT COMPATIBLE WITH INVERTER OR FATHOM OPTIONS)
poles on forward bow area	☐ Fire suppression system; automatic with manual override
☐ Bow table; removable fiberglass bow table (not compatible with teak bow table option) (includes: removable table, includes (2) posts, table height and filler platform height,	□ Low CO gas (7.5 kW − 120 V 60 Hz)
fiberglass with maintenance free synthetic teak surface with filler cushion and canvas cover, dedicated storage in bow lounge storage compartment)	☐ Gyroscopic stabilizer (SeaKeeper 3DC) (without generator (3 group 31 batteries and charger are replaced with Lithium-ion batteries if Fathom option is selected) (not compatible with port refrigerator option) 3,000 N-M-S gyro replaces port
☐ Bow table; removable teak bow table (not compatible with fiberglass bow table option) (includes: removable table, includes (2) posts, table height and filler platform height,	storage drawers on leaning post with shallow storage compartment (3) 12 V group 31 AGM batteries
solid teak with filler cushion and canvas cover, dedicated storage in bow lounge storage compartment)	☐ Battery Charger – 120 V, 40 amp smart battery charger
Aft cockpit fiberglass table (not compatible with teak cockpit table option) (includes:	☐ Ball valves on fish box thru hulls
removable table, includes (1) post, fiberglass with maintenance free synthetic teak surface, dedicated storage on underside of mechanical hatch in aft bilge compartment)	CONVENIENCE PACKAGE (CABIN) (MUST SELECT INVERTER LEVEL 2, FATHOM® OR GENERATOR OPTION)
☐ Aft cockpit teak table; (includes: removable table, includes (1) post, solid teak,	☐ Water heater
dedicated storage on underside of mechanical hatch in aft bilge compartment)	☐ Air conditioner (8K BTU – 120 V)
☐ Spotlight	$\ \square$ Air conditioning vents at helm and interior
☐ VesselView® Mobile	☐ Hot water mixers at console vanity faucet, and transom hand showers (and Deluxe Prep Transom prep station if equipped)
YACHT TENDER PACKAGE (MUST BE SELECTED IF VESSEL WILL BE TOWED AS A	☐ Wood treatments
YACHT TENDER) (MUST SELECT BOW TOW EYE OPTION)	☐ Portlight at berth (2)
☐ Ball valves on fish box thru hulls	☐ Mirror
Clam shells over critical hull side thru hulls	☐ Wall coverings – decorative wrapped panels concealing Main Distribution Panel (MDF
☐ Engine covers (2 or 3 depending on Engine Package)	and service access panels
☐ High water activated strobe light and horn	DELIVE TRANSOM PRED CTATION (PER LOSS TRANSOM FOLD AWAY PERSON
COMMISSIONING KIT	DELUXE TRANSOM PREP STATION (REPLACES TRANSOM FOLD AWAY BENCH SEAT) (MUST SELECT INVERTER LEVEL 1 OR GENERATOR OPTION)
☐ Air horn	□ 120 V outlet
☐ Batteries – group 31 AGM (engines and house) (house batteries change to lithium-ion when Fathom® option is selected)	□ Countertop – Solid surface□ Cutting board
☐ Boat hook	☐ Drink holders (4)
□ Dock lines (8)	☐ Grill – electric 120 V Kenyon® grill with removable Silken® cover, hidden under hinged
☐ Fenders (4)	Solid surface lid
☐ Fire extinguishers (2)	☐ Freshwater sink (cold only without Convenience Package)
	☐ Grab Rail – stainless steel
	☐ Lighting – LED accent lighting under countertop edge



antenna extension

360 OUTRAGE

☐ Livewell – pressurized (25-gal) replaces standard livewell. clear acrylic lid, blue interior, aquarium window, dual Red LED lighting, 2000 GPH pump	□ Upper station with Dual Joystick Piloting − (must select Dual Engine Package) (not compatible with CE/Canadian/Australian Certification) (includes: Canvas cover for seating and helm control box; black Sunbrella, control box: fiberglass pod for tilt steering, digital throttle and shift (DTS), compass, dual USB charger and drink holders (3) (gray or hite depending on upholstery color selection), electronic steering with polished cast stainless steel steering wheel and tilt mechanism, joystick with Skyhool autopilot keypad, ladder access to the hardtop, LED lighting − blue (4), powder painted upper station frame with fold-down canopy (white or black depending on frame color option selection), Simrad NSS12 evo3S 12" display (GPS/Chart plotter/fishfiner), Simrad HS40 VHF wireless handset, Upper station upholstery with backres (Upholstery color matches color selection for exterior color selection), upper station bimini top − white or black Stamoid® material depending on frame color selection, VH	
$\hfill \Box$ Pull out drawer storage on port side of livewell and storage compartment on		
☐ starboard side		
☐ Pull out bucket storage on portside replacing storage door with 5-gal bucket compartment		
☐ Refrigerator/freezer on Starboard side of leaning post – Stainless steel drawer 12V / 120V (1.75 cubic feet) (replaces storage drawers)		
☐ Relocates dive ladder to port side coaming pocket		
ELECTRONICS	antenna extension	
☐ 16" Simrad® NSO evo3S Additional Display Electronics Package (not compatible with 19" options) dash surface – custom black acrylic integrated with switch panels and flush mounting of dual displays Simrad NSO evo3S 16" screen (gps/chart plotter/fishfinder, digital switching, integrated Mercury® SmartCraft® monitor and control)	☐ Theft deterrent with 1st Mate and remote connectivity system − Dual Engines (Whaler Watch®) (3 year monitoring included) (not compatible with triple engine options) (includes: Whaler Watch mobile app, 1st Mate Safety & Security System − anti theft feature immobilizes engines, telematics tracking system with GeoFence notification, remote monitoring and notification of high-water bilge alarm, tank levels, batteries, shore power connections and propulsion system information, remote control of CTSY lights, UW Lights	
☐ 19" Simrad Electronics / Navigation Package (replaces Standard 16" Simrad evo3S display) (Not Compatible with Standard 16" Simrad display or 16" additional display)		
(includes: Dash surface – custom black acrylic integrated with switch panels and flush mounting of dual displays, Simrad NSO evo3S 19" screen (GPS/chart plotter/fishfinder, digital switching, Integrated Mercury SmartCraft monitor and control)	☐ Theft deterrent with 1st Mate and remote connectivity system – Triple Engines (Whaler Watch) (3 year monitoring included) (not compatible with dual engine options) (includes: Whaler Watch mobile app, 1st Mate Safety & Security System –	
☐ 19" Simrad NSO Evo3S Additional Display Electronics Package (not compatible with 16" display options) (includes: dash surface – custom black acrylic integrated with switch panels and flush mounting of dual displays, Simrad NSO evo3S 19" screen (GPS/chart plotter/fishfinder, digital switching, integrated Mercury SmartCraft	options) (Includes: Whaler Watch mobile app, 1st Mate Safety & Security System – anti theft feature immobilizes engines, telematics tracking system with GeoFence notification, remote monitoring and notification of high-water bilge alarm, tank levels batteries, shore power connections and propulsion system information, remote contro of CTSY lights, UW Lights	
monitor and control)	☐ Inverter Package Level 1 (compatible when selecting DLX transom Prep Station when	
☐ Chirp Sonar with 3D (includes: Simrad S5100 1 kw Dual channel CHIRP Sounder Module, Airmar 1000 watt recessed thru hull Dual channel CHIRP transducer	generator not selected) (not compatible with Fathom Option) (includes: Mastervolt® Combi 3,000-watt inverter/charger, (2) Mastervolt 8D AGM batteries	
(B275LH-W), StructureScan 3D transducer included, replaces Active Imaging 3-in-1 transducer)	☐ Inverter Package Level 2 (compatible when selecting Convenience Package or Convenience Package with DLX Prep Station, when generator not selected) (not compatible with Fathom Option) (includes: Mastervolt Combi 3,000-watt inverter/charger, (4) Mastervolt 8D AGM batteries	
☐ Radar – OpenArray BIRD+ (compatible with upper station option) Simrad HALO 3003 130 W pulse compression radar with 36" OpenArray antenna		
□ Radar – OpenArray BIRD+ (not compatible with upper station option) Simrad HALO 3004 130 W pulse compression radar with 48" OpenArray antenna	☐ Fathom (compatible when selecting Gyro with Convenience Package and Deluxe Transom Prep Station if generator is not selected,) (not compatible with generator or Inverter options) (inclues: Mastervolt Combi 3,000-watt inverter/Charger, deletes (3 GRP 31 house batteries, (3) GRP31 gyro batteries and (4) 8D Grill/Air Con batteries and replaces them with 3 Lithium Ion Batteries, battery management system with	
☐ Satellite Weather (requires monthly subscription) (includes: Simrad WM-4 SiriusXM Marine Weather Receiver)		
☐ Automatic Identification System (AIS) Transceiver (includes: Simrad RS40-B VHF Radio with AIS transmitter and receiver, Simrad NSPL-500 Antenna Splitter)	proprietary graphical user control through CZone & Simrad MFD	
$\hfill\Box$ FLIR thermal night vision with pan, tilt and zoom (30 Hz) (includes: M332 Thermal	CANVAS	
Camera with pan, tilt and 4X zoom and image stabilization, mounted on top of 18" pedestal for 360 deg view (not included with upper station)	 Canvas mooring cover (includes: full boat mooring cover – lightweight breathable material (not compatible with bow rail), attaches to underside of hardtop extending 	
☐ Camera – cockpit rear view Simrad camera (includes: Video Camera, Simrad IP CAM-1 (mounted rearward facing on underside of hardtop)	over cockpit and bow area, ratchet strap system secures perimeter providing tight tailored fit, weight bags included to hold down perimeter)	
□ Upper station with Triple Joystick Piloting (Base engines or other Triple Engine Packages) (not compatible with CE/Canadian/Australian Certification) (includes: Canvas cover for seating and helm control box; Black Sunbrella®, control box; fiberglass pod for steering, digital throttle and shift (DTS), compass, dual USB charger and drink holders (3) (grey or white depending on upholstery color selection), Electronic steering with polished cast stainless steel steering wheel and tilt mechanism, joystick with Skyhook/autopilot keypad, Ladder access to the hardtop – center of leaning post, lighting – LED recessed lighting – blue (4), powder painted upper station frame with fold-down canopy (white or black depending on frame color option selection), Simrad NSS12 evo3S 12" display (GPS/Chart plotter/fishfinder), Simrad HS40 VHF wireless handset, upper station upholstery with backrest (Upholstery color matches color selection for exterior color selection), upper station bimini top – white or black Stamoid® material depending on frame color selection. VHF	☐ Canvas enclosure (Rigid Makrolon® with white or black Stamoid® material depending on frame color selection) (includes: Hardtop aft curtain, full beam aft enclosure, Hardtop wing curtains with 1 panel per side, providing a full beam helm seating weather protection including entrance to console, storage bag; protective mesh bag fo enclosure storage)	
	□ Canvas Cover Package (Black Sunbrella®) (includes: Console Helm cover, Forward cushion covers: port and starboard, bow lounge covers, helm seat cover, couch seating cover, aft flip down seat bolster cover, Triple or Dual engine cover (dependent on engine option), bag; canvas storage duffel bag (qty 2)	



CO	LOR PAINTED HULLS
	Abaco Blue
	Fighting Lady Yellow
	Horizon Blue
	Ice Blue
	Jadestone
	Oyster Grey
	Platinum
	Sand Metallic
	Steel Blue
	Tectonic Silver
	Wasabi
co	LORED GELCOAT UNDERSIDE OF HARDTOP
	Abaco Blue
	Horizon Blue
	Platinum
	Steel Blue
GR	APHICS (CHROME BW LOGO, STRIPE)
	Black graphics
	Blue graphics
	Red graphics
	Chrome graphics (silver stripe)
	Silver graphics
	White graphics
ΗA	RDTOP FRAME COLOR
	White – Standard; hardtop frame, hardtop rod holders (upper station frame, hard-top storage rack and canvas enclosure options if applicable)
	Black – hardtop frame, hardtop rod holders (upper station frame, hardtop storage rac and canvas enclosure options if applicable)
JP	HOLSTERY
	Shore Package (tan) – standard (all exterior upholstery, tan seat backs in helm area and matching helm gel coat)
	Sea Package (gray) – (all exterior upholstery, gray seat backs in helm area and

