




330 OUTRAGE

SPECIFICATIONS

L.O.A.	33' 1" (10.08 m)
Beam	10' 2" (3.10 m)
Draft	22" (0.55 m)
Weight (dry, no engine)	9,000 lbs (4,083 kg)
Weight (with engines, fuel and water)	12,579 lbs (5,705 kg)
Maximum Weight Capacity	4,140 lbs (1,878 kg)
Swamped Capacity	4,260 lbs (1,932 kg)
Persons Capacity	14
Maximum Horsepower	800 hp (597 kW)
Minimum Horsepower	500 hp (372 kW)
Maximum Engine Weight	1,400 lbs (635 kg)
Transom Height	30" (0.76 m)
Transom Angle	15°
Deadrise at Transom	23°
Fuel Capacity	300 gallons (1,135 L)
Waste Capacity	6.5 gallons (24.6 L)
Water Capacity	40 gallons (151 L)
Livewell Volume	0 gallons (189.2 L)
Bridge Clearance (with top)	9' 10" (3 m)
Package Boat Specs (on trailer/engine up)	43' 4" L X 10' 2" W X 12' 4" H
European Certification: B	B
European Certification	C



STANDARD EQUIPMENT

- All hardware 316-L stainless steel
- All rails welded 316-L stainless steel

DECK / COCKPIT

- 8" stainless steel cleats – anchor locker (1)
- 8" stainless steel pop-up cleats – cross tie cleats at transom (2)
- 10" stainless steel cleats – bow (2), spring line with hawse pipes (2), stern with hawse pipes (2)
- 28" interior freeboard
- Bow and stern eyes
- Cockpit coaming bolsters
- Covered telescoping swim ladder with stainless steel grab rail
- Dedicated storage for dive ladder
- Grab rails – forward lounge (2), leaning post (2)
- Hawse pipes (2) with drink holders at stern
- Heavy-duty rub rail
- Low profile interior bow rail – welded stainless steel
- Molded fiberglass portside dive/boarding door with removable stainless steel dive ladder
- Motorwell drains
- Rod holders – gunnel mounted (8)
- Rod holders – transom mounted (3)
- Self-bailing cockpit
- Stainless steel thru hull anchor roller davit
- Toe rails – stainless steel (2 per side)
- Transom door with stainless steel latch
- Windlass with 200' rode, 25' chain and stainless-steel plow anchor

CONSOLE / HEAD

- 12 V receptacle
- Acrylic entry door with lock
- Cast stainless steel steering wheel with knob
- Compass
- Drink holders (2)
- Electronics mounting surface with space for dual displays
- Electronics switch panel with illuminated switches
- Interior courtesy lights
- Molded console footrests and fold-down helm standing platform with molded-in non-skid surface
- Molded inner liner
- Opening porthole with screen (1)
- Remote located circuit breaker panel
- Remote ignition key switches with pushbutton start at helm
- Sink with pullout sprayer
- 16" Simrad NSOevo3S Electronics/Navigation Package, Simrad NSOevo3S 16" screen (GPS, chart plotter, fishfinder), Active Imaging 3 in 1 transom mount transducer (CHIRP, SideScan, DownScan), integrated Mercury VesselView® link
- Stereo System (JL Audio integration into Simrad® Navigation Package) – JL Audio MM105-HR stereo with Dash mounted remote volume/mute knob, AM/FM/HD Radio, USB audio, and Sirius XM® ready, iPhone®/Android® compatible via integrated Bluetooth® 5.0, JL waterproof speakers (6), 10" Subwoofer, and 800 W Amplifier
- Storage cabinets
- VacuFlush toilet with holding tank, overboard discharge and dockside pump-out

ELECTRICAL

- 16" Simrad NSOevo3S additional display Electronics Package, Simrad NSO evo3S 16" screen (GPS/chart plotter/fishfinder), dash surface – custom black acrylic integrated with switch panels

SEATING

- Foldaway stern bench seat
- Forward console lounge (60" length) with flip-down armrests, 2 cup holders and recessed grab rails (2)
- Forward island deck seating with drink holders (2), bolsters and removable cushions
- Helm and companion bolster style seats with storage console

HARD-TOP / WINDSHIELD SYSTEM (MUST SELECT COLOR, WHITE OR BLACK)

- Bow area flood light
- Cockpit area flood lights (2)
- Dome light (red and white)
- Electronics box
- LED blue lighting
- Lifejacket storage
- Outrigger ready
- Rod holders (5)
- Tempered glass windshield with power actuated vent
- Windshield wiper with wash system

STORAGE

- Bow anchor locker with drain
- Glove box at helm

- Insulated in-floor fishboxes with pump-out (57 gallons) at aft (2)
- Lockable console front storage – holds 10 rods, optional 36-quart cooler and miscellaneous gear (optional scuba tank racks available for 6 tanks)
- Port aft storage at fishing prep area (can store a 5-gallon bucket)
- Under gunnel rod racks

LEANING POST

- Aft facing couch with convertible work surface and drink holders (4)
- Cutting board
- Drink holders (4)
- Grab rails (3)
- Leaning post storage under aft-facing seat (optional 40-gallon livewell)
- Storage drawers (3)

MECHANICAL

- 12 V receptacles (3)
- 300 V8 DTS Black Dual Mercury® Verado® engines with hydraulic power steering
- Fuel tank (300 gallon)
- Automatic bilge pump and sump box (1,100 GPH forward, 2,000 GPH aft (2))
- Battery trays (3) with switches
- Engine fuel / water separators
- Freshwater system (40 gallons) with sink in console, transom shower and anchor washdown
- Instrumentation and electrical switch panel with circuit breaker protection
- LED cockpit lighting (blue)
- Livewell – transom on centerline (50 gallons)
- Navigation lights
- Raw water washdown
- Shore power with battery charger and galvanic isolator
- Stainless steel propellers
- Tilt steering
- Transducer mount areas
- Variable running surface with single electric ram and indicator
- VesselView® 4" (Mercury)

VESSELVIEW MOBILE

- Display key engine data on your smartphone (Android® or Apple® iPhone)
- Bluetooth connection via VesselView Mobile app (compatible while connected to stereo)
- Troubleshooting assistance with dealer notification

NOTABLE OPTIONS/ ACCESSORIES

- ☐ 12 V DC receptacles at transom for electric reels / downriggers (2)
- ☐ Active Engine Trim (Mercury option that automatically adjusts drive trim based on speed)
- ☐ Anchor windlass chain (150')
- ☐ Batteries – GR31 AGM (factory installed)
- ☐ Bilge storage - aft

- ☐ Bow thruster (12 V)(not compatible with Joystick Piloting options)
- ☐ Bow tow eye
- ☐ Casting platform with cushion and canvas cover - bow
- ☐ Dynamic running surface (DRS) – self leveling tab system
- ☐ Fender hangers – stainless steel (qty 6)
- ☐ Gyroscopic stabilizer (SeaKeeper) (2000 N-M-S gyro) (not compatible with cockpit refrigerator option) (must select leaning post with gyro option) includes: GR31 AGM batteries (factory installed)
- ☐ Leaning post with gyro (includes sink and tip-out storage drawers (3) (must select gyroscopic stabilizer option)
- ☐ Leaning post livewell (40 gallon)(with standard leaning post only)
- ☐ Leaning post with cooler – includes: storage drawers (3), cutting board, sink, storage lid, YETI® cooler with dedicated storage
- ☐ Lighting – underwater LED
- ☐ Outriggers – radial outriggers – hardtop mounted
- ☐ Rails - white rub rail with stainless steel inserts
- ☐ Rails – black rub-rail with stainless steel insert
- ☐ Refrigerator – cockpit (12 / 120 V)(available in STD or optional leaning post) (not compatible with gyroscopic stabilizer option)
- ☐ Scuba tank racks (6)
- ☐ Spotlight
- ☐ Sunshade at bow
- ☐ Sunshade at cockpit
- ☐ Table – aft cockpit table with teak overlay
- ☐ Table – bow table (removeable)

SEATING

- ☐ Fold-down trolling seats (2)

TOPS/TOWERS

- ☐ Hardtop gelcoat (hardtop underside color matches hull color) (must select hardtop) (options include abaco blue or platinum)

COLORED HARDTOP FRAME (MUST SELECT COLOR)

- ☐ White (Standard)
- ☐ Black

ENGINES

- ☐ 300 V8 DTS Black Dual Mercury® with Joystick Piloting. Outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Simrad® or other standalone optional autopilot not permitted with Joystick Piloting)
- ☐ 300 V8 DTS White Dual Mercury with Joystick Piloting. Outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting)
- ☐ 400 V10 DTS Black Dual Mercury Verado® with hydraulic power steering and fuel/water separator
- ☐ 400 V10 DTS White Dual Mercury Verado with hydraulic power steering and fuel/water separator

- ☐ 400 V10 DTS Black Dual Mercury Verado Joystick Piloting. Outboard docking system with joystick electronic steering, Skyhook/autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting) (must select Premium Package or VesselView® 4" Display)
- ☐ 400 V10 DTS White Dual Mercury Verado Joystick Piloting. Outboard docking system with joystick, electronic steering, Skyhook/autopilot keypad and functionality. (Simrad or other standalone optional autopilot not permitted with Joystick Piloting) (must select Premium Package or VesselView 4" Display)

ELECTRONICS

- ☐ 1st Mate Safety & Security Sys – Dual Engine (includes captain FOB and 3 passenger FOB's)
- ☐ 1st Mate Safety & Security Fob Kit – includes additional Man Overboard (MOB) FOB's for additional passengers (qty 4)
- ☐ 16" Simrad® NSOevo3S Additional Display Electronics Package – Simrad NSOevo3S 16" screen (GPS/Chart Plotter/Fishfinder), Dash surface – custom black acrylic integrated with switch panels
- ☐ Satellite weather and radio (requires monthly subscription)– satellite radio Sirius® satellite receiver with antenna, Simrad WM-4 Sirius Marine Weather Receiver
- ☐ Automatic Identification System (AIS) transceiver, Simrad RS40-B VHF radio with AIS transmitter and receiver, and HS40 wireless handset, Simrad NSPL-500 antenna splitter
- ☐ Auto pilot (not compatible with Joystick Piloting), Simrad NAC-2 autopilot computer
- ☐ Radar dome, Simrad HALO24 4 kW 24" high definition digital dome
- ☐ Radar – OpenArray® – Simrad HALO 2004 50 W Pulse Compression Radar with 48" OpenArray Antenna
- ☐ Radar – OpenArray BIRD+ – Simrad HALO 3004 130 W Pulse Compression Radar with 48" OpenArray Antenna
- ☐ Satellite weather and radio (requires monthly subscription), satellite radio Sirius® satellite receiver with antenna, Simrad WM-4 Sirius Marine Weather Receiver
- ☐ VHF radio, Simrad RS40 VHF radio with AIS and HS40 wireless handset
- ☐ Thru hull transducer, 1000 watt thru hull transducer (SS175 med) and SonarHub™ module

EXTERIOR UPHOLSTERY COLOR

- ☐ Shore (Tan) (Standard) – All exterior upholstery (based on option selection), console dash tan gel coat
- ☐ Sea (Gray) – All exterior upholstery (based on option selection), console dash gray gel coat

CANVAS

- ☐ Canvas cover package – includes: black Sunbrella®, cockpit seat back cover, console cover, forward cushion covers, helm seat cover, storage garage cover (all black)
- ☐ Full canvas mooring cover from hardtop to fore and aft deck coverage (not compatible with high bow rail option)
- ☐ Hardtop enclosure curtains (white or black) (full beam aft enclosure behind helm seating, wing curtains and side enclosure)

COLOR PAINTED HULLS

- ☐ Abaco Blue
- ☐ Fighting Lady Yellow
- ☐ Horizon Blue
- ☐ Ice Blue
- ☐ Jadestone
- ☐ Oyster Gray
- ☐ Platinum
- ☐ Sand Metallic
- ☐ Steel Blue
- ☐ Tectonic Silver
- ☐ Wasabi

COLORED HULL SIDES (INCLUDES HULL SIDES WITH WHITE HULL BOTTOM)

- ☐ Classic Desert Tan hull side gelcoat accent color
- ☐ Glacier Green hull side gelcoat accent color
- ☐ Light Blue hull side gelcoat accent color
- ☐ Platinum hull side gelcoat accent color
- ☐ Abaco Blue hull side gelcoat accent color

GRAPHICS (BW LOGO, STRIPE)

- ☐ Black graphics
- ☐ Blue graphics
- ☐ Red graphics
- ☐ Chrome graphics (with silver stripe)
- ☐ Silver graphics
- ☐ White graphics

PAINTED ENGINE ACCENTS (CENTER STRIPE) (MUST SELECT COLORED HULL OPTION)

- ☐ Painted center stripe of engine cowl to match selected hull color